



Expert Guide

Version 3.1

Converting forms from previous versions: Forms you created with Version 2 of TheFormTool will work fine with Version 3. But they'll work a little *faster* if you convert them to the new format. To convert an old form, click ✓ **Check Form** on TheFormTool tab.

One-Page Cheat Sheet

For those who are driven to get started *right now*, without filler or fluff:

1. Install TheFormTool


Right-click the **TheFormToolPRO.zip** file you downloaded and choose **Properties**. If you see an **Unblock** button, click it to unblock the file, then click **Apply**, **OK**.

Double-click the same **TheFormToolPRO.zip** file to see the files it contains.

Double-click the **TheFormToolPRO.docm** file to install the program.

2. Activate it. Go to the new **TheFormTool** tab in Microsoft Word, click **Options**,

License code, and enter the registered name and license code we emailed to you. Or retrieve your license code by logging into your account at www.theformtool.com.



Quick Tip: Watch our videos instead of Steps 3 and 4:

www.theformtool.com/video-demonstration-of-theformtool

3. Create a form

Open a document or form you've used in the past, and save a copy wherever you like to store forms.

Older Files: If you're starting with an older document (created in Word 2003 or earlier), be sure to save it in one of Word's new formats (.docx or .dotx) with the **Maintain Compatibility** checkbox **UNCHECKED**.

Add a Questionnaire at the bottom of the form by clicking  **Questionnaire**,  **Create** on **TheFormTool** tab.

Type questions in the Question column and a short label for each question in the Label column, like so:

TheFormTool (c) 2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the name of the signer?	
DOB	What's the birthdate of the signer?	

Add Fields to the form by placing the cursor wherever a Field is needed and clicking **Field** on **TheFormTool** tab. The result will look something like this:

My name is {Signer}. I was born on {DOB}.

Signed: _____
{SIGNER}

Save and close the finished form.

4. Use your new smart form to create a document

Open the form you created in Step 3. Type answers in the Questionnaire and click **Fill** on **TheFormTool** tab. Done!

5. **For later:** This manual and the **Quick-Start Guide** are available at www.theformtool.com, along with videos, program support, and forums where you can ask questions, report problems, make suggestions, and exchange tips with the authors and other users of TheFormTool.

Foreword

Although this is a manual that focuses exclusively on forms – how to make them more intelligent, more productive and more useful – this Expert Guide is really all about people.

It's written to help three groups in particular: a form's audience, its author and its user.

First of all, of course, are the Readers, the form's ultimate audience, those seeking information. In the final analysis, TheFormTool is ultimately about clients and their opposition; companies and customers; judges and court officials; regulators and special interest groups; knowledge worker and information user media and the general public. We hope TheFormTool will improve communication between you and everyone you hope to influence with the written word, whether digital or paper.

This guide is written from the perspective of the Form Author, the expert who wishes to expand the influence of his or her expertise by making it easier for others to complete a complex form quickly, accurately and as expertly as would the Author merely by answering a few questions. TheFormTool allows the expert Author to lay out the exact circumstances where "A" is appropriate, the exceptions where "B" or "C" should apply, and the gray areas where "A" should be modified but not replaced. Since forms are by definition useful in repetitive similar-but-not-identical circumstances, the number of alternatives for consideration and inclusion are finite and therefore manageable by software.

Finally, TheFormTool is designed to make a real difference to Form Users, the men and women tasked with merging current information into pre-created documents that can at once be simplistic and complex, literal and figurative, static and dynamic. TheFormTool works so well because it uses technology to make the dynamically complex alternatives built into a form simple enough to be exactly, accurately and quickly replicable by non-experts. The expert determines the outcome he or she intends; then the non-expert furnishes the input in one-fifth the time otherwise required.

As your use of TheFormTool expands, watch your productivity increase while your costs decrease. Our customers report an average *three times* increase in productivity and a 100% decrease in errors, for a *20% reduction in total costs*, compared to their previous document assembly technology.

Contents

Meet the Buttons	1
Installing TheFormTool.....	2
The Basics	3
What's It Do?	3
Creating a Basic Form	3
Using a Basic Form	6
Turning Old Files Into New Forms	6
Old File Formats	6
Does it need to be converted?	6
Converting an old file	7
Documents Versus Templates	7
Creating Smarter Forms	7
Smart Answers	7
Text Answers	8
Single/Series	8
With Pronoun	9
Dropdown Answers	9
Single/Series	9
Source for Dropdown Choices	10
Allow User to Write in a Different Response	11
Yes/No Answers	11
Single/Series	11
Include 'N/A' Choice	12
Checkboxes Answers	12
Derived Answers	12
Freeform	13
Series of Answers	14
Hiding Derived Answers	14
Grids	14
Default Answers	15
Fields	15
Text Fields	15
Number Fields	16
Date Fields	16
Date Format	16
Date Offset	16
Lesson 1: Fixed Date Offset	17
Lesson 2: Variable Date Offset	20
Date Function	22
Pronoun Fields (Got Grammar?)	23
Singular/Plural Fields	23
Lesson 3: Pronouns and Plurals	25
Count Fields	31
Fields for Series Answers	31
Custom Field Formats	32

Modifying Fields	32
Conditions	32
Conditional Text.....	32
Lesson 4: Conditions	33
Condition Markers.....	35
Nested Conditions	35
Conditions and Answer Types.....	36
Modifying or Removing Conditions	38
Compound Conditions (a/k/a Boolean Conditions).....	38
Lesson 5: This AND That	39
Parentheses in Compound Conditions	41
Lesson 6: This OR That AND the Other Thing.....	42
Nested Conditions	45
Special Conditions	46
Conditional A/An	46
Conditional Period	46
Conditional Row in Table.....	47
Conditional Section in Document.....	48
Telescoping Parentheses	48
Lists.....	49
The Difference Between a Field and a List	49
Inserting a List.....	49
Three Clauses in Every List	50
Lesson 7: Lists	51
List Layers.....	54
Lesson 8: List Layers	55
Linked Answers in Lists.....	60
Lesson 9: List with Linked Answer	61
First, Previous, Current, Next, and Last	63
Lesson 10: List with Previous Item	64
Sublists.....	67
Lesson 11: Sublists	68
Grids and Lists	70
Lesson 12: List with a Grid.....	71
Lists with Derived Series Answers.....	78
Lesson 13: Derived Series Answers.....	79
Sorting Lists	84
Lesson 14: Sorting a List	85
Math	87
Adding Math to a Field	87
The Math Screen.....	87
Lesson 15: Math Fields	88
The Math Tab.....	92
Math Functions.....	92
Add, Subtract, Multiply, Divide	92
Absolute	92
Age.....	93

Lesson 16: Dates, Math, and Derived Answers93

Constant	97
Days	97
DerivedCount.....	97
DerivedFirstDate.....	98
DerivedLastDate	98
DerivedMax	98
DerivedMin	98
DerivedMultiply	98
DerivedSum.....	99
Field	99
FirstDate.....	100
Integer	100
LastDate	100
ListCount	100
ListFirstDate	101
ListItem#	101
ListLastDate.....	101
ListMax.....	101
ListMin	101
ListMultiply.....	102
ListSum	102
Logarithm	102
Maximum.....	102
Minimum	102
Months	102
Now	103
Payment (PMT)	103
RaiseToPower (exponentiation).....	103
Remainder (modulo).....	103
Root.....	104
Round	104
Years	104
Math in Lists	104


Lesson 17: List in Table Format, Master List, and Math105

Attention Markers	113
Using Smarter Forms.....	113
Answering Questions in the Questionnaire	113
Tabbing Is the Best!	113
Series Answers	114
Refresh Dropdowns and Checkboxes	114
Peeking	114
Filling in the Form.....	114
Start.....	114
Fill.....	114
Attention Markers.....	115
Reset	115
Blanks	115
Petrify	115

Capturing and Reusing Data (Save/Load)	116
Saving Answers	116
Loading Answers	117
Updating Answers	117
Organizing Answer Files	118
Sharing the Questionnaire	118
Sources: Master Lists	119
Creating Master Lists	120
Lesson 18: Creating Master Lists	120
Modifying Master Lists	121
Import and Export Master Lists	121
Using Master Lists	122
Lesson 19: Using Master Lists	122
Sources: Wrappers	124
Creating Wrappers	124
Adding Wrappers to Forms	125
Ask the User to Choose a Wrapper	125
Automatically Apply a Particular Wrapper	126
Automatically Decide Which Wrapper to Apply	126
Wrappers and Section Breaks	127
More Tools for the Form Author	127
The Field/List/Condition Screen	127
Blank Lines	127
Field/List/Condition Count	128
Search for a Label	128
Alphabetize	128
Find Other Locations to Paste Field	128
Editing Questionnaires and Grids	128
Questionnaire Removal	128
Row/Column	129
Empty Cells	129
Relabeling and Deleting Questions	129
Clearing Answers	129
Dividers	129
Lesson 20: Dividers in Questionnaires	130
Reusing Questionnaires	131
Saving a Questionnaire	131
Reusing a Saved Questionnaire	132
Checking Forms	132
Check Form	132
Find and Paste	132
Highlighting Conditions and Lists	133
Language for Date Fields	133
Options	133
Holidays	133

Metadata Scrubbing.....	134
Sharing Information.....	134
Uninstalling	134
Index.....	135

Meet the Buttons




Installing TheFormTool

Step 1: Is the File Blocked?

Windows sometimes blocks downloaded files to protect you from viruses.

Right-click the **TheFormToolPRO.zip** file you downloaded and choose **Properties**. If you see an **Unblock** button, click it to unblock the file, then click **Apply, OK**.




Step 2: Open the Installation File

Open the file you downloaded to see its contents. Double-click on the **TheFormToolPRO.docm** file. (Depending on your computer's configuration, you might not see the **.docm** at the end of the filename.)

Step 3: Security Warnings?


Depending on Windows and Microsoft Word settings, you may need to respond to one or more security warnings before installation can proceed.

If you see this ...



You're almost done. Click **Yes** to the license agreement, then **OK** to install.

If you see this ...




Follow the on-screen instructions to respond to your computer's security warnings.

You can reread the license agreement later by clicking  **Options, License agreement**.

Step 4: Close and Reopen Word

Close Microsoft Word completely, including all open documents. When you reopen Microsoft Word, you'll find a new tab on Word's ribbon menu labeled **TheFormTool**. Click that tab to reveal The**FormTool** commands.



If **TheFormTool** tab does not appear, try restarting your computer. If that doesn't work, please contact us at www.theformtool.com/resources so we can help get you started.

Step 5: Enter License Code

To activate The**FormTool**, click  **Options**, **License code** and enter the registered name and license code we emailed to you. If you need to buy a license, visit www.theformtool.com. If you've lost your license code, check your emailed receipt or log into your account at www.theformtool.com (click the **Log In** button in top right corner).

Step 6: Sharing Information on a Network

If you own multiple licenses for The**FormTool**, see Sharing Information on page 134.

Step 7: Updates

Check for [updates](#) periodically at The**FormTool** website. To be notified when updates are available, subscribe to our newsletter at www.theformtool.com/newsletter.

The Basics

What's It Do?



Think of the process of filling in a form as a series of questions and answers. The form author asks a question ("What's the name of the Grantor?"), and the form user answers the question ("Gretel Purcell").

The**FormTool** makes it easy for the form author to ask a series of questions, and easy for form users to answer those questions.

Creating a Basic Form

We'll turn this document into a form. If you'd like to work along with this example, begin by typing or copying the text shown here into a blank document.

My name is Abigail Bentley. I was born on April 17, 1960.

Signed: _____
ABIGAIL BENTLEY

Step 1: Create the Questionnaire

Click  **Questionnaire**,  **Create** on **TheFormTool** tab to add a Questionnaire to the end of the form.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer



Meet the Questionnaire! Take a moment to get familiar with the three-column layout of the Questionnaire. Once you're comfortable with the Label/Question/Answer pattern, guru status is within reach.


In this example, we need to ask the form user for the signer's name and birthdate. Type the two questions in the Questionnaire, including a short label for each.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the name of the signer?	
DOB	What's the birthdate of the signer?	

Adding Rows to the Questionnaire

When first creating the Questionnaire, add rows just as you would in any other Word table – by pressing **Tab** when your cursor is in the table's last cell.

Later on, TheFormTool “locks” the Questionnaire so form users can't accidentally alter it. But you can still add rows by clicking  **Row/Column**,  **Add**.

Omit space characters in Labels. For example, **SignerName** and **Signer_Name** are both okay, but don't use **Signer Name** with a space in the middle. Also avoid special characters like brackets, slashes, and braces. But don't worry too much – if you try to use a character that's not allowed, TheFormTool will automatically remove it for you during Step 2 below. The  **Check Form** command (page 132) also catches labeling problems and is a great tool for every form author's belt.

Step 2: Add Fields to the Form

In the body of the form, add Fields wherever answers need to be inserted. For example, this form needs three Fields.

Select **Abigail Bentley** and click  **Field** (yes, it's the friendly Field Bunny) to open the Field screen.

My name is **Abigail Bentley**. I was born on **April 17, 1960**.

Signed:


ABIGAIL BENTLEY

My name is **Abigail Bentley**. I was born on April 17, 1960.


Signed:

ABIGAIL BENTLEY

All the questions in the Questionnaire are listed here, using the labels you provided. In this example, there are only two: **Signer** and **DOB**. Select **Signer**.



Various Field types and formats can be selected on the right side of the screen. In this example, the default is correct (**Text, FreeForm**).



Click **OK** to finish.

Formatting Fields. The “format” choices above actually change the text of a Field rather than using Word’s font formatting feature – from **abc** to **ABC**, for example. But you can also apply any type of font formatting to a Field, using Word’s ordinary formatting commands – bold, underline, font, small caps, color, etc.

Notice that the Field you added shows up as a gray bracketed item: **{Signer}**.

My name is {Signer}. I was born on April 17, 1960.

Signed:

ABIGAIL BENTLEY

Select **April 17, 1960** and click **Field** to add the second Field. Use the same steps as above, but this time choose the **DOB** label and the **Date** type.

My name is {Signer}. I was born on April 17, 1960.

Signed:

ABIGAIL BENTLEY

Finally, select **ABIGAIL BENTLEY** and click **Field** to add the last Field. For this Field choose the **Signer** label and **UPPERCASE** format.

My name is {Signer}. I was born on {DOB}.

Signed:

ABIGAIL BENTLEY

After adding all three Fields, the finished form looks like this. The first Field uses **Text, FreeForm**, the second uses **Date**, and the third uses **Text, UPPERCASE**.

Save the finished form wherever you like to keep your forms. (Consider saving your forms as *templates* instead of *documents*. See Documents Versus Templates on page 7.)

My name is {Signer}. I was born on {DOB}.

Signed:

{SIGNER}


Meet the Brackets. The gray bracketed items above ({Signer}, {DOB}, and {SIGNER}) will become a familiar sight. They mark where each answer in the Questionnaire belongs in the finished document. Once the novelty wears off, you'll find yourself comfortably deleting, copying, and pasting these bracketed items just as you do other text, sometimes saving a few clicks by copying a Field rather than creating it from scratch.

Using a Basic Form

 **Users**

Open a form and click  **Start** to move to the Questionnaire. Answer the questions, like so:

TheFormTool (c) 2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the name of the signer?	Horace Blixt
DOB	What's the birthdate of the signer?	5/23/72

Then click  **Fill** to fill in the form. Done!

My name is Horace Blixt. I was born on May 23, 1972.

Signed: _____

HORACE BLIXT


Turning Old Files Into New Forms

 **Authors**

Old File Formats

You're using a recent version of Microsoft Word now, but some of your old documents and forms might have been created with earlier versions. It's important to convert those old files to the new format so all TheFormTool features are available.




Does it need to be converted?



Look at the top of the Word screen. If you see **[Compatibility Mode]**, the form needs to be converted.

Converting an old file

Open your old document or template in Word. Depending on what version of Word you use:

 Word 2007	 Word 2010 and later
<ol style="list-style-type: none">1. Click the  Office button (the round button in the top left corner), then click Save As.2. In the Save as type box, choose Word Document (.docx) or Word Template (.dotx).3. Near the bottom of the screen, make sure the Maintain compatibility with Word 97-2003 checkbox is UNCHECKED.4. Click Save.	<ol style="list-style-type: none">1. Click File, Save As.2. In the Save as type box, choose Word Document (.docx) or Word Template (.dotx).3. Near the bottom of the screen, make sure the Maintain compatibility with previous versions of Word checkbox is UNCHECKED.4. Click Save.5. If you still see [Compatibility Mode] at the top of the screen, click File, Info, Convert.

Documents Versus Templates

As you create forms, you can save them as documents (files that end with **.docx**) or templates (files that end with **.dotx**). The **FormTool** works fine with both types of files, but saving forms as templates does have one important advantage: When form users double-click a template to open it, Word creates a *new unsaved document* based on that template. This makes it impossible for the form user to accidentally overwrite the original form – when they click **Save**, they are prompted to save their brand new document elsewhere.

As the form author, you will sometimes need to revise the original form. Instead of double-clicking the template to open it, right-click and choose **Open**. This opens the form itself, rather than creating a new document, so you can make changes and save the revised form.

Creating Smarter Forms

The **FormTool** builds intelligence right into the form, automatically including or removing optional text, changing pronouns and plurals, converting date and number formats, performing math calculations, and more. A single click by the form user can change the entire landscape of the finished document.

Smart Answers




In the realm of form creation, different types of questions call for different types of answers. You might ask for a yes/no response (“Is the signer a U.S. citizen?”), or you might want to offer choices (“In which of these counties is the property located?”), or you might ask for a series of items with a single question (“List all the shareholders.”).


The **FormTool** provides several types of answers, making it easy for form users to respond correctly and intuitively to every question. To turn a regular answer into a Smart Answer, first put the cursor in an answer box.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Buyer	Buyer's name	
Seller	Seller's name	

These are answer boxes – one box for the Buyer question, and another for the Seller question.

To change the answer type for a particular question in the Questionnaire, put the cursor in its answer box and click  **Smart Answer** to open the Smart Answer screen.

Tabs across the top of the screen allow you to choose one of five answer types.




Text Answers

Each answer in the Questionnaire begins as a Text answer and stays that way unless you alter it. Text answers are appropriate for questions like: “What’s the signer’s name?” “What’s the ID number?” “What was the date of the injury?” “What’s the amount due?”


Single/Series

Select **Single text box** when you are asking for a single piece of info (“Who are you?”).




Select **Series of text boxes** to ask for several pieces of info (“What are the names of the shareholders?”).



How many items in a series? When using a series answer, the form author need not specify the number of items. By default, the answer will be created with room for three items, but the form user can click  **Add** to create additional slots as needed.

Linked series: If the form includes another series answer, you have the option of linking this answer to it: select **Link to a preceding series answer or a Grid**, and select the other answer.

For example, the first question in your form might ask for a list of directors (a series answer). The second question could be a linked answer asking for each director’s email address.




Question	Answer
Use the parties	Oil Parker Emil Lake Pat Cee
What's each party's birth date?	Oil Parker 4/17/1960 Emil Lake 8/31/1989 Pat Cee 3/17/1962

Note: linked answers are “old technology.” You will usually want to use Grids instead (page 14).

With Pronoun

To include a pronoun box alongside a Text answer, select **With pronoun**.

The pronoun box allows the form user to select a pronoun to go along with their answer: **he**, **she**, **it**, or **they**. The form author can make use of this info throughout the form, using Pronoun Fields (page 23).




Dropdown Answers


Dropdown answers present the form user with several choices in a dropdown list. The question “What’s your favorite color?” could present a dropdown list of red, green, blue, and yellow. The question “What direction will you travel?” could present a dropdown list of north, south, east, and west.

Single/Series

Select **Single dropdown** when you are asking for a single piece of info (“On what continent do you live?”).



Select **Series of dropdowns** to ask for several pieces of info (“On what continents have you lived?”).



Linked series: If the form includes another series answer, you have the option of linking this answer to it: select **Link to a preceding series answer or a Grid**, and select the other answer.

For example, the first question in your form might ask for a list of directors (a series answer). The second question could be a linked answer that asks in which continent each director resides.

The screenshot shows the 'Series of dropdowns' configuration. The 'Link to a preceding Series answer or a Grid' option is selected. The 'Source for dropdown choices' is set to 'typed here'. An example shows a question 'List the names of the directors' with a series answer, and a second question 'What's each director's name?' with a dropdown menu for 'Continent'.

Note: linked answers are “old technology.” You will usually want to use Grids instead (page 14).

Source for Dropdown Choices

The list of choices in the dropdown box is drawn from one of four sources.

Source = typed here

The list of choices is typed right into the Smart Answer screen. Each choice is on a separate line.

You may rearrange items using **Ctrl+C**, **Ctrl+X**, and **Ctrl+P** to copy, cut, and paste.

Click **abc** to sort items alphabetically.

The screenshot shows the 'typed here' source for dropdown choices. The 'Source for dropdown choices' is set to 'typed here'. An example shows a question 'Choose a region' with a dropdown menu for 'Region'.

Source = another answer

If the form includes another series answer, you have the option of using it as a source.

For example, the first question in your form might ask for a list of people who are officers (a series answer). The second question could ask who is the Treasurer, with a dropdown listing the people identified in the previous answer.

The screenshot shows the 'another answer' source for dropdown choices. The 'Source for dropdown choices' is set to 'another answer'. An example shows a question 'Choose a region' with a dropdown menu for 'Region'.

Source = Master List

If you have created any Master Lists (page 119), you may select one as a source.

For example, a law office might have a Master List of member attorneys. A form could ask for the name of the attorney signing this document with a Dropdown answer listing all the attorneys in that Master List.

The screenshot shows the 'Dropdown' configuration window in FormTool PRO. The 'Source for dropdown choices' is set to 'Master List' and 'Attorneys'. An arrow points from the text 'Source = Master List' to the 'Master List' dropdown menu. An 'Example' box shows a question 'Choose a region' with a dropdown menu showing 'North'.

Allow User to Write in a Different Response

When **Allow user to write in a different response** is checkmarked, users have the option of typing their own response instead of selecting one from the dropdown list.

The screenshot shows the 'Dropdown' configuration window in FormTool PRO. The 'Allow user to write in a different response' checkbox is checked. An arrow points from the text 'Allow user to write in a different response' to the checkbox. An 'Example' box shows a question 'Choose a region' with a dropdown menu showing 'North'.

Yes/No Answers

Yes/No answers allow the form user to respond **yes** or **no** (and sometimes **n/a**).

Single/Series

Select **Single Yes/No** when you are asking for a single yes/no response ("Is the property for sale?").

The screenshot shows the 'Yes/No' configuration window in FormTool PRO. The 'Single Yes/No' radio button is selected. An arrow points from the text 'Single Yes/No' to the radio button. An 'Example' box shows a question 'Is the signer married?' with a dropdown menu showing 'yes'.

If the form includes another series answer, you have the option to choose **Series of Yes/No's linked to a preceding series answer or a Grid**. This asks for a yes/no response regarding each item in the other answer.

For example, the first question in your form might ask for a list of properties (a series answer). The second could ask whether each of those properties is zoned for commercial use (a series of Yes/No's).

The screenshot shows the 'Yes/No' configuration window. The 'Series of Yes/No's linked to a preceding Series answer or a Grid' option is selected. An example is provided showing a table with questions and answers for properties like 'Gil Parker' and 'Acme Co.'.

Question	Answer
List the parties	Gil Parker
	Erin Lake
	Acme Co.
Is each party married?	Gil Parker: yes
	Erin Lake: no
	Acme Co.: no

Note: Creating a series of Yes/No's this way is "old technology." You will usually want to use Grids instead (page 14).

Include 'N/A' Choice

When **Include 'N/A' choice** is checkmarked, users have the option of responding **n/a** instead of **yes** or **no**. (N/A stands for "not applicable.")

The screenshot shows the 'Yes/No' configuration window with the 'Include N/A choice' option checked. An example shows a dropdown menu with 'yes', 'no', and 'N/A' options.

Question	Answer
Is the signer married?	yes

Checkboxes Answers

Checkboxes answers allow the form user to check or uncheck a series of labeled checkboxes.

The series of checkboxes is drawn from one of three sources: **typed here**, **another answer**, or **Master List**. See page 10 for details about the four sources.

The screenshot shows the 'Checkboxes' configuration window. The 'Source for checkboxes: typed here' option is selected. An example shows a list of items with checkboxes.

Question	Answer
Include which items?	<input checked="" type="checkbox"/> Apple
	<input type="checkbox"/> Banana
	<input checked="" type="checkbox"/> Cherry

Derived Answers

Derived answers automatically process other answers to create new answers without any further input from the form user. For example, if another answer provides the signer's birthdate, then a Derived answer could perform a calculation to determine the signer's age.

In a **Freeform** Derived answer, the answer box becomes the form author's private workspace to perform complex calculations behind the scenes. This is useful for:


Conditions based on the results of math formulae, date offsets, or other Conditions.

Given a person's birthdate, a Derived answer can use date and math functions to calculate the person's age. That age can then be used as the basis for conditional text in the form that refers to the person as either an adult or a minor.

Improved readability. If the complexity of a particular passage makes a form difficult to read, it can be tucked away in a Derived answer out of the form user's view.


Faster processing. Use a Derived answer to perform complex calculations once instead of repeatedly. For example, given a list of shareholders and the number of shares held by each, The **FormTool** is able to determine the name of the largest shareholder. If that name appears many times in the form, put the calculation in a Derived answer with the label **LargestSH**, then use **{LargestSH}** Fields wherever needed in the form, rather than repeating the whole calculation each time the name occurs.

Use any combination of text, Fields, Lists, and Conditions in the answer box of a freeform Derived answer. Lesson 16 on page 93 uses a *whole bunch* of Derived answers.



Freeform linked: If the form includes a series answer, you have the option of linking this answer to it: select **Link to a preceding series answer or a Grid**, and select the other answer.

You can even chain-link answers. For example, the first question in your form might ask for a list of children (a series answer). The second question could be a linked answer that asks for each child's birthdate (a linked series). And the third question could be a derived answer that uses the second answer to calculate each child's age (linked Derived).




Note: linked answers are "old technology." You will usually want to use Grids instead (page 14).

Series of Answers

You can also create a Derived answer that is a series of other answers. Think of it as a bucket into which you toss other answers to create a new series. The other answers may themselves be series answers, and you may filter them to include only some of the items they contain. The resulting Derived series can be sorted alphabetically, numerically, or by date.

Derived series answers are enormously powerful and flexible. See Lesson 13 on page 79.



Hiding Derived Answers

Since Derived answers work automatically in the background, they should be hidden from form users to avoid confusion: after you've finished creating the form, click **Row/Column**, **Show/Hide** to hide all Derived answers. If you need to revise the form later, click the same button again to make everything visible.

Grids

Grids appear under the main Questionnaire and supplement it. They are composed of a whole collection of linked series answers, with each answer occupying a column.

Grid {

TheFormTool(c) 2011-2016 Snapdone, Inc.

Label	Question	Answer
DateSign	Date of signing?	12/29/2012

List all the parties:

Name	Street	City	State	ZIP
Terry Porter	555 Main Street	Seattle	Washington	98101
Garth Blinth	123 Sycamore Lane	Chicago	Illinois	50103
Eva Roette	868 Meridian Drive	Houston	Texas	76023

To add a Grid, click **Questionnaire**, **Grid**, **Add**, and enter the number of columns desired. (Up to 63 columns are allowed, but you would have to use a *very small font*!)

To remove a Grid, put the cursor anywhere in the Grid and click **Questionnaire**, **Grid**, **Remove**. Or rearrange the order of multiple Grids by placing the cursor in one and clicking **Questionnaire**, **Grid**, **Move Up** or **Move Down**.

Grids can contain Smart Answers. When you apply a Smart Answer in a Grid, you are choosing a Smart Answer for an *entire column*. To add a Smart Answer, put the cursor anywhere in the desired column and click **Smart Answer**. You will see that some options in the Smart Answer screen are not available for Grids. For example, the *first* column of a Grid can only be a **Text** or **Dropdown** answer.


Converting linked answers to Grids. Linked answers are “old technology” and are generally inferior to Grids. If you previously created a linked answer and have now decided you’d like to use a Grid instead, TheFormTool can automatically perform that conversion for you. Put the cursor in the answer box of the series answer to which other answers are linked, and click **Tools**, **Convert to Grid**. The series answer

and its linked answers are removed from the top part of the Questionnaire, and a brand new Grid is created.

To practice with Grids, see Lesson 12 on page 71.

Default Answers


To save typing for the form user, provide default answers whenever practical. For example, if your office is in Washington State, you can partially pre-fill the Questionnaire with this answer. The form user can always type a different state if necessary.



TheFormTool (c) 2016 Snapdone, Inc.		
Label	Question	Answer
SigName	What's the signer's name?	
SigState	What's the signer's state of residence?	Washington

Fields




Several types of Fields are available when creating forms. Each type has its own set of formatting options, so a single answer in the Questionnaire can be used many different ways throughout the form. To insert a Field in a form, put the cursor in the document where the Field belongs and click  **Field**.

Text Fields

Text Fields are the most common.


Choose **FreeForm** to capitalize text exactly as it was typed in the Questionnaire, or one of the other formats to enforce a particular type of capitalization: **First capital**, **Title Case**, **lowercase**, or **UPPERCASE**.



Number Fields

Nmbr Fields can be formatted as numerals with or without commas and with various numbers of decimal places, as ordinals (1st, 2nd, 3rd ...), or as upper- or lowercase words (one, Two, THREE), ordinal words (first, second, third), or dollar amounts in several formats (Three Dollars and 38 Cents).

Number Fields can be further automated with math functions. Click **Math** to open the Math screen (page 87).




International number formats. Number formats shown in this screen always use periods for decimals and commas for digit grouping (for example, **1,000.00**). But when the form is Filled, punctuation will be reversed when necessary to conform to your computer operating system settings (for example, **1.000,00**).

Date Fields


Date Format

Date Fields can also be formatted many ways, using both words and numbers. You may even choose to display only a portion of the date that's typed into a Questionnaire, like the name of the month or day of the week.





Date Offset


Date Fields can be further manipulated with Date Offsets. Click **Offset** to open the Date Offset screen.





In this screen, related dates can be calculated from a date typed in the Questionnaire by the form user.

For example, the Questionnaire might ask for a trial date, and the form could calculate several other dates, such as a meeting scheduled two weeks before trial, or a phone call scheduled for the weekday preceding trial.

Date Offsets are built one sentence at a time. Click  to add another sentence, or  to remove the last one.



	Lesson 1	Lesson 1									
	Lesson 1: Fixed Date Offset <ul style="list-style-type: none"> • Date Field (page 16) • Date Offset (page 16) 	<p>Given a trial date, this form calculates two related dates.</p>									
1	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>Create the Questionnaire</p> </div> <div style="width: 65%;"> <p>a Type or copy/paste this paragraph into a blank document</p> <ul style="list-style-type: none"> • Click  Questionnaire,  Create to add a Questionnaire <p>b Fill in the Questionnaire as shown</p> </div> </div> <div style="margin-top: 20px; border: 1px solid black; padding: 10px;"> <p>a Your trial date is Tuesday, April 25, 2017. Interrogatory answers must be filed 20 business days before trial, on March 28, 2017. Please have your draft answers to me no later than the preceding Friday, March 24, 2017.</p> <p>b</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr style="background-color: #4CAF50; color: white;"> <th colspan="3">TheFormTool (c) 2011-2016 Snapdone, Inc.</th> </tr> <tr style="background-color: #607D8B; color: white;"> <th style="width: 25%;">Label</th> <th style="width: 45%;">Question</th> <th style="width: 30%;">Answer</th> </tr> </thead> <tbody> <tr> <td>TrialDate</td> <td>What's the trial date?</td> <td></td> </tr> </tbody> </table> </div>		TheFormTool (c) 2011-2016 Snapdone, Inc.			Label	Question	Answer	TrialDate	What's the trial date?	
TheFormTool (c) 2011-2016 Snapdone, Inc.											
Label	Question	Answer									
TrialDate	What's the trial date?										

2

Add a basic Field

- a** Select **Tuesday, April 25, 2017** and click **Field**
- b** Select the **TrialDate** answer
- c** Select the **Date** Field type
- d** Select the **Monday, May 1, 2010** format and click **OK**

Your trial date is **Tuesday, April 25, 2017**. Interrogatory answers must be filed 20 business days before trial, on **March 28, 2017**. Please have your draft answers to me no later than the preceding Friday, March 24, 2017.

3

Add the first Date Offset Field

- a** Select **March 28, 2017** and click **Field**
- b** Select the **TrialDate** answer
- c** Select the **Date** Field type
- d** Click **Offset** to open the Date Offset screen
- e** Select the offset **minus 20 business days**
- f** Read the description to make sure it's correct, then click **OK** to close the Date Offset screen and **OK** again to close the Field screen

Your trial date is {TrialDate}. Interrogatory answers must be filed 20 business days before trial, on **March 28, 2017**. Please have your draft answers to me no later than the preceding Friday, March 24, 2017.

Date Offsets are built one sentence at a time. Most require only one sentence like the one above, but the one below uses two sentences to come up with the Friday preceding the day 20 business days before trial.

4

Add the second Date Offset Field

- Select **March 24, 2017** and click **Field**
- Select the **TrialDate** answer
- Select the **Date** Field type
- Click **Offset** to open the Date Offset screen
- Select the offset **minus 20 business days** for the first sentence
- Click **+** to add a second sentence
- Select the offset **go to preceding Friday** for the second sentence
- Read the description to make sure it's correct, then click **OK** to close the Date Offset screen and **OK** again to close the Field screen

Diagram illustrating the steps to add a second Date Offset field:

- a**: Select the trial date (March 24, 2017) and click **Field**.
- b**: Select the **TrialDate** answer.
- c**: Select the **Date** Field type.
- d**: Click **Offset** to open the Date Offset screen.
- e**: Select the offset **minus 20 business days** for the first sentence.
- f**: Click **+** to add a second sentence.
- g**: Select the offset **go to preceding Friday** for the second sentence.
- h**: Read the description to make sure it's correct, then click **OK** to close the Date Offset screen and **OK** again to close the Field screen.

== THE PAYOFF ==

The form user answers just one question, and the form calculates all three dates.

TheFormTool (c) 2011-2016 Snapdone,		
Label	Question	Answer
TrialDate	What's the trial date?	7/12/2017



Your trial date is **Wednesday, July 12, 2017**. Interrogatory answers must be filed 20 business days before trial, on **June 13, 2017**. Please have your draft answers to me no later than the preceding Friday, **June 9, 2017**.



Lesson 2: Variable Date Offset

- Number Field (page 16)
- Date Field (page 16)
- Date Offset (page 16)

Given a commencement date and length of term, this form calculates a termination date.

1

Create the Questionnaire

- a** Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- b** Fill in the Questionnaire as shown

Lessor leases the Premises to Lessee for a Term of 3 years, beginning on March 11, 2017, and ending on March 11, 2020.

a

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Date	What is the lease commencement date?	
Term	How many years long is the term?	


2

Add basic Fields

- a Select **3** and click **Field**
- b Select the **Term** answer
- c Select the **Nmbr** Field type and click **OK**
- d Select **March 11, 2017** and click **Field**
- e Select the **Date** answer
- f Select the **Date** Field type and click **OK**

 **Before**

Lessor leases the Premises to Lessee for a Term of 3 years, beginning on March 11, 2017, and ending on March 11, 2020.



 **After**

Lessor leases the Premises to Lessee for a Term of {Term} years, beginning on {Date}, and ending on March 11, 2020.

3

Add Date Offset Field a Select **March 11, 2020** and click **Field**

- b Select the **Date** answer
- c Select the **Date** Field type
- d Click **Offset** to open the Date Offset screen
- e Click the **Variable** tab
- f Select the offset **plus Term years**, click **OK** to close the Date Offset screen, and **OK** again to close the Field screen

Lessor leases the Premises to Lessee for a Term of {Term} years, beginning on {Date}, and ending on March 11, 2020.

If we knew how many years to add, we'd use the **Fixed** tab. Since the number of years will be provided by the form user, we use the **Variable** tab instead.

(c) 2011-2016 Snapdone, Inc.

THE PAYOFF

Two responses in the Questionnaire are used to calculate a third item in the finished document.


TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Date	What is the lease commencement date?	8/6/2017
Term	How many years long is the term?	5



Lessor leases the Premises to Lessee for a Term of 5 years, beginning on August 6, 2017, and ending on August 6, 2022.

Date Function

TheFormTool includes several date functions that are not offsets: **FirstDate**, **LastDate**, **Now**, and others. To use one of these functions, click **Function** to open the Math screen (as in Lesson 16 on page 93).



You may assign both a function and an offset to a Date Field. The offset will be applied to the result of the function.

Pronoun Fields (Got Grammar?)

Pronoun Fields automatically choose the proper word based on a Pronoun answer – words like **he/she** and **him/her**. They also automate gender words like **husband/wife**, **son/daughter**, and **testator/testatrix**.

If you don't see the Pronoun option in this screen, add a pronoun to this answer box (page 9).

The screenshot shows the 'Questionnaire' dialog box with the 'Sinner' field selected. The 'Format' section has 'Defined' selected, and the dropdown menu is open, showing a list of pronouns and relationship terms. The 'Abbreviate' checkbox is checked. A green arrow points from the text 'add a pronoun to this answer box' to the dropdown menu.

The **Abbreviate** checkbox has no effect on finished documents, but improves form readability by shortening four-part Fields (like **he/she/it/they** or **husband/wife/spouse/spouses**) to show only two parts (**he/she** or **husband/wife**). If you prefer to see all four parts displayed, uncheck this checkbox.

As you create Pronoun Fields, select **Title Case** for pronouns at the beginning of a sentence, **lowercase** for pronouns in the middle of a sentence, or **UPPERCASE** when needed.

The screenshot shows the 'Questionnaire' dialog box with the 'DOB' field selected. The 'Format' section has 'Defined' selected, and the dropdown menu is open, showing a list of pronouns and relationship terms. The 'Title Case' radio button is selected. A green arrow points from the text 'select Title Case for pronouns at the beginning of a sentence' to the 'Title Case' radio button.

Singular/Plural Fields

Sing/Plural Fields automatically choose the proper word depending on (1) which pronoun is selected in a Pronoun answer; or (2) how many items appear in a series answer.

If you don't see the **Sing/Plural** option in this screen, change this question's answer to a Pronoun answer or series answer.

Word pairs like **is/are** and **was/were** are great when a specific word is needed, but the options shown here and described below are flexible enough to be used in lots of different situations.

The screenshot shows the 'Questionnaire' dialog box with the 'DOB' field selected. The 'Format' section has 'Defined' selected, and the dropdown menu is open, showing a list of pronouns and relationship terms. The 'Sing/Plural' radio button is selected. A green arrow points from the text 'change this question's answer to a Pronoun answer or series answer' to the 'Sing/Plural' radio button. Another green arrow points from the text 'Word pairs like is/are and was/were are great when a specific word is needed' to the 'Is | Are' dropdown menu.

|s (shows s when pronoun is plural): Use this Field to tack an **s** onto the end of any word (usually a noun) when the answer is plural – for example, after **defendant** in this form.

The defendant{s} allege{s} as follows...

s| (shows s when pronoun is singular): Use this Field to tack an **s** onto the end of any word (usually a verb) when the answer is singular – for example, after **allege** in this form.

|es (shows es when pronoun is plural): Use this Field to tack an **es** onto the end of any word (usually a noun) when the answer is plural – for example, after **breach** in this form.

es| (shows es when pronoun is singular): Use this Field to tack an **es** onto the end of any word (usually a verb) when the answer is singular – for example, after **reach** in this form.

y|ies: Use this Field at the end of words that end with **Y**, as shown here.

s|' (singular/plural possessive): Use this Field at the end of a word to form a possessive. The example shown here uses two Singular/Plural Fields – the first shows an **s** when the pronoun is plural, and the second shows either **'** or **'s**. This results in **The defendant's rights** when there is one defendant, or **The defendants' rights** for multiple defendants.

y's|ies': Use this Field at the end of words that end with **Y** to form a possessive, as shown here.

When the contract breach{es}
reach{es} a value of...

These facts are agreed upon by the
above-named part{ies}.

The defendant{s}'s rights have
been violated.

The above-named part{ies'} rights
have been violated.

Lesson 3: Pronouns and Plurals



- Text-with-Pronoun answer (page 9)
- Dropdown answer (page 9)
- Pronoun Field (page 23)
- Singular/Plural Field (page 23)

Using only a few questions, you'll fully automate a paragraph to produce perfect grammar in all situations.

This deceptively short sample form is chock full of opportunities to try out Pronoun answers, Pronoun Fields, and Singular/Plural Fields. When we're done, the form will adapt to every possible combination of plaintiff(s) and defendant(s) – whomever and whatever – with automatic and flawless grammatical shifts.

1

Create the Questionnaire

- Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown

Bob Lobb ("Plaintiff") hereby requests that the Court grant his motion and rule against AAA Company ("Defendant"). The Defendant has produced no evidence, so it should be required to pay Plaintiff's attorney fees.


a

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	
ClientParty	What party is the client?	
Opponent	Name of opponent?	
OppParty	What party is the opponent?	

2

Create with-pronoun Smart Answers


- Put the cursor in the **Client** answer box and click  **Smart Answer**
- Checkmark **With pronoun** and click **OK**
- Do the same for the **Opponent** answer box

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	
ClientParty	What party is the client?	
Opponent	Name of opponent?	
OppParty	What party is the opponent?	

b


a

c




3

Create dropdown Smart Answers





- Put the cursor in the **ClientParty** answer box and click  **Smart Answer**
- Click the **Dropdown** Field type
- Select the **typed here** source
- Type **Plaintiff** and **Defendant** on separate lines and click **OK**
- Do the same for the **OppParty** answer box

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	[??] [??]
ClientParty	What party is the client?	
Opponent	Name of opponent?	[??] [??]
OppParty	What party is the opponent?	



4

Add basic Fields

- Select **Bob Lobb** and click , select the **Client** answer, and click **OK**
- Select **Plaintiff** and click , select the **ClientParty** answer, and click **OK** (twice)
- Select **AAA Company** and click , select the **Opponent** answer, and click **OK**
- Select **Defendant** and click , select the **OppParty** answer, and click **OK** (twice)

 **Before**


Bob Lobb ("Plaintiff") hereby requests that the Court grant his motion and rule against AAA Company ("Defendant"). The Defendant has produced no evidence, so it should be required to pay Plaintiff's attorney fees.

 **After**

{Client} ("{ClientParty}") hereby requests that the Court grant his motion and rule against {Opponent} ("{OppParty}"). The {OppParty} has produced no evidence, so it should be required to pay {ClientParty}'s attorney fees.


5

Add a pronoun for the client

- Select **his** and click  **Field**
- Select the **Client** answer
- Select the **Pronoun** Field type
- Select the format **His|Her|Its|Their**
- Select **lowercase** and click **OK**


{Client} (" {ClientParty}") hereby requests that the Court grant **his** motion and rule against {Opponent} (" {OppParty}"). The {OppParty} has produced no evidence, so it should be required to pay {ClientParty}' attorney fees.

The word **his** in the original document is a pronoun related to the **Client** answer.




6

Add a pronoun for the opponent

- Select **it** and click  **Field**
- Select the **Opponent** answer
- Select the **Pronoun** Field type
- Select the format **He|She|It|They**
- Select **lowercase** and click **OK**

{Client} (" {ClientParty}") hereby requests that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}"). The {OppParty} has produced no evidence, so **it** should be required to pay {ClientParty}' attorney fees.

The word **it** in the original document is a pronoun related to the **Opponent** answer.



We want this form to give flawless results when our client is a married couple too. Note the differences in these two phrases:

Bertrand Loopin ("Plaintiff") hereby requests...

Bertrand and Agnes Loopin ("Plaintiffs") hereby request...

When there is one client, an **s** appears at the end of the verb **requests**. When there are two clients, an **s** appears at the end of the noun **Plaintiffs**. We'll use singular/plural Fields to handle this requirement.


7

Add a singular/plural Field

- Put the cursor immediately after **{ClientParty}** and click **Field**
- Select the **Client** answer
- Select the **Sing/Plural** Field type
- Select the format **|s (shows s when pronoun is plural)**
- Select **lowercase** and click **OK**

{Client} (" {ClientParty}") hereby requests that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}"). {OppParty} has produced no evidence, so {he|she} should be required to pay {ClientParty}'s attorney fees.

The **shows s when pronoun is plural** Field is usually used at the end of a noun.



8

Add a second singular/plural Field

- Select the **{s}** Field you just created and copy it with **Ctrl+C**
- Put the cursor between **{ClientParty}** and **'s** then paste with **Ctrl+V**

{Client} (" {ClientParty}{s}") hereby requests that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}"). The {OppParty} has produced no evidence, so {he|she} should be required to pay {ClientParty}'s attorney fees.


9

Add a third singular/plural Field

- Select the **s** at the end of **requests** and click **Field**
- Select the **Client** answer
- Select the **Sing/Plural** Field type
- Select the format **s| (shows s when pronoun is singular)**
- Select **lowercase** and click **OK**

{Client} (" {ClientParty}{s}") hereby requests that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}"). The {OppParty} has produced no evidence, so {he|she} should be required to pay {ClientParty}{s}'s attorney fees.

The **shows s when pronoun is singular** Field is usually used at the end of a verb.




10

Add three more singular/plural Fields

- Use the methods from Steps 7 and 8 to add singular/plural Fields after each **{OppParty}** Field (you will select **Opponent** instead of **Client** in the Field screen)
- Select **has** and click **Field**
- Select the **Opponent** answer
- Select the **Sing/Plural** Field type
- Select the format **Has|Have**
- Select **lowercase** and click **OK**

{Client} (" {ClientParty}{s}") hereby request{s} that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}"). The {OppParty} has produced no evidence, so {he|she} should be required to pay {ClientParty}{s} attorney fees.




Almost done! Notice the 's near the end of the form: **pay {ClientParty}{s}'s attorney fees**. When there is only one client, proper spelling requires an apostrophe and an s. But when there are two clients, only the apostrophe is required. We'll add one more singular/plural Field to handle this quandary.

11

Add the last singular/plural field


- Select both the apostrophe and the s and click **Field**
- Select the **Client** answer
- Select the **Sing/Plural** Field type
- Select the format **'s|'** (singular/plural possessive)
- Select **lowercase** and click **OK**

{Client} (" {ClientParty}{s}") hereby request{s} that the Court grant {his|her} motion and rule against {Opponent} (" {OppParty}{s}"). The {OppParty}{s} {has|have} produced no evidence, so {he|she} should be required to pay {ClientParty}{s}'s attorney fees.



The form is complete. Be reassured that this is an unusually high concentration of Fields. Most forms you create will not contain 15 Fields in 2 sentences – this example was contrived to pack lots of stuff into a small space just to give you a good workout.

{Client} (“{ClientParty}{s}”) hereby request{s} that the Court grant {his|her} motion and rule against {Opponent} (“{OppParty}{s}”). The {OppParty}{s} {has|have} produced no evidence, so {he|she} should be required to pay {ClientParty}{s}{’s} attorney fees.

Readability. You may have noticed that the five {s} Fields are visually indistinguishable, even though they give different results – two add s when the Client is plural, one adds s when the Client is singular, and two add s when the Opponent is plural. The **FormTool** abbreviates Fields this way to keep the form readable, but you can always see the full details of any Field (and make changes if needed) by placing the cursor in the Field and clicking  **Field**.

≡ THE PAYOFF ≡

Now that you’ve taken such care building this superbly intelligent form, look at how much time it saves the form user. The charts below show the end result when the Questionnaire is filled in several different ways. Note (1) how very little info is asked of the form user; and (2) the impeccably letter-perfect end results.

Here the client/plaintiff is a human and the opponent/defendant is a business entity.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	Betty Fisk [she]
ClientParty	What party is the client?	Plaintiff
Opponent	Name of opponent?	AAA Company [it]
OppParty	What party is the opponent?	Defendant



Betty Fisk (“Plaintiff”) hereby requests that the Court grant her motion and rule against AAA Company (“Defendant”). The Defendant has produced no evidence, so it should be required to pay Plaintiff’s attorney fees.

What if the client/defendant is a company and the opponent/plaintiff is a married couple?

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	Generics, Inc. [it]
ClientParty	What party is the client?	Defendant
Opponent	Name of opponent?	Bob and Kay Roe [they]
OppParty	What party is the opponent?	Plaintiff



Generics, Inc. (“Defendant”) hereby requests that the Court grant its motion and rule against Bob and Kay Roe (“Plaintiffs”). The Plaintiffs have produced no evidence, so they should be required to pay Defendant’s attorney fees.

Here the client/plaintiff is a whole mess of people, and the opponent/defendant is one person.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Name of client?	John Does #1 through 38 [they]
ClientParty	What party is the client?	Plaintiff
Opponent	Name of opponent?	Herb Chappe [he]
OppParty	What party is the opponent?	Defendant



John Does #1 through 38 (“Plaintiffs”) hereby request that the Court grant their motion and rule against Herb Chappe (“Defendant”). The Defendant has produced no evidence, so he should be required to pay Plaintiffs’ attorney fees.

Count Fields

Count Fields refer to the number of items in a series answer (“The company has three shareholders” or “I have one child”).

If you don’t see the **Count** option in this screen, change the answer for this question to a series answer.

Count Fields can be formatted as numbers, words, or ordinals, in upper- or lowercase.

Count Fields can be further automated with math functions. Click **Math** to open the Math screen (page 87).

The screenshot shows the 'Questionnaire' editor with the 'Shareholders' series selected. On the right, the 'Count' field configuration is visible. A green arrow points to the 'Count' radio button, another points to the 'Math' button under the 'Format' section, and a third points to the 'Format' dropdown menu which is open, showing various formatting options like '1,000 (no decimals)', '1,000.1 (exactly 1 decimal)', etc.

Fields for Series Answers

When a Field is inserted for a series answer, three additional choices appear:

List inserts a Field that gives the total number of items in the answer.

The Field shown here gives the total number of people in the **Shareholders** series answer.

The screenshot shows the 'List' field configuration for the 'Shareholders' series. The 'List' tab is selected, and the 'Include all items in the list' checkbox is checked. The 'Format' dropdown is set to 'Defined' with the value '1,000 (no decimals)'. The 'Blank line' checkbox is checked. The 'OK' and 'Cancel' buttons are at the bottom right.


Sublist allows you to specify a subset of items from the series provided by the form user.

The Field shown here counts the number of people in the **Shareholders** answer who are named **Vanderbilt**.

The screenshot shows the 'Sublist' field configuration for the 'Shareholders' series. The 'Sublist' tab is selected. Under 'Only include items where:', the 'contains' dropdown is set to 'this text:' and the text 'vanderbilt' is entered in the adjacent field. The 'Format' dropdown is set to 'Defined' with the value '1,000 (no decimals)'. The 'Blank line' checkbox is checked. The 'OK' and 'Cancel' buttons are at the bottom right.

Item inserts a particular item in the series – the first item, last item, 8th item, etc. You can also select an item that meets particular criteria: the first item in a series of names that contains **John**; the 2nd item in a series of numbers that's more than **100**; the last item in a series of dates that's earlier than **1/1/2000**; etc.

The Field shown here provides the name of the **First** person in the **Shareholders** answer who is designated **President** in the **Officers** answer.




Custom Field Formats

On rare occasions, you may want to create your own custom Field format. For example, plurals of most words can be created with the built-in Singular/Plural Fields described above, but you could also create your own custom Singular/Plural Fields for unusual word pairs like **index|indices** or **cactus|cacti**.

To create a custom Field, select **Custom** and edit the contents of the box.

This example shows a custom Singular/Plural Field, but you may also create custom formats for other Field types.



Modifying Fields

You can go back and make changes to an existing Field at any time. Just put the cursor in the Field and click  **Field** to return to the Field building screen.

Conditions



Conditional Text

Conditions are the intelligent worker bees of the form world. The form author makes some decisions about how a form should work, then adds Conditions to automatically implement those decisions each time the form is used.

Use Conditions to include or exclude text depending on the form user's response to a question in the Questionnaire. The conditional text can be a word, phrase, paragraph, or even multiple paragraphs or

pages. Lots of Conditions throughout the form can be tied to one answer in the Questionnaire, causing the finished document to change dramatically based on a single mouse click by the form user.


For example, consider this form.


If the signer is not married, then the second sentence should be removed. In other words, the second sentence is *conditional*, depending on whether or not the answer to the **Spouse** question is empty.

My name is {Signer}. My spouse's name is {Spouse}.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the signer's name?	
Spouse	What's the signer's spouse's name? (Leave blank if unmarried.)	

To accomplish that, you would:

- 1. Select the conditional text (the second sentence).
- 2. Click  **Condition** and choose the conditions under which the sentence should be included.



Lesson 4

Lesson 4

Lesson 4

Lesson 4: Conditions

In this form, you want different language to appear in the finished document, depending on the user's answers in the Questionnaire.

1

Create the Questionnaire

a

Type or copy/paste this paragraph into a blank document

b



Fill in the Questionnaire as shown

My name is Terry Vance. My spouse's name is Gena Vance.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the signer's name?	
Spouse	What's the signer's spouse's name? (Leave blank if unmarried.)	

2

Add Fields

- a** Select **Terry Vance**
 - click  **Field**, select the **Signer** answer, and click **OK**
- b** Select **Gena Vance**
 - click  **Field**, select the **Spouse** answer, and click **OK**
- c** Type an alternate sentence at the end of the paragraph: **I am not married.**

 **Before**


My name is Terry Vance. My spouse's name is Gena Vance.

 **After**


My name is {Signer}. My spouse's name is {Spouse}. I am not married.

3

Add the first Condition

- a** Select the second sentence (including the space at the end) and click  **Condition**
- b** Select the **Spouse** answer
- c** Select the condition **is not empty** and click **OK**


My name is {Signer}. My spouse's name is {Spouse}. I am not married.




This Condition shows the selected text if the Spouse answer is not empty.

4

Add an opposing Condition

- a** Select the last sentence and click  **Condition**
- b** Select the **Spouse** answer
- c** Select the condition **is empty** and click **OK**

My name is {Signer}. {if: My spouse's name is {Spouse}. } I am not married.



This Condition shows the selected text if the Spouse answer is empty.

Lesson 4 Lesson 4 Lesson 4

== THE PAYOFF ==

When a Spouse is typed, the result looks like this:

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the signer's name?	Betty Miller
Spouse	What's the signer's spouse's name? (Leave blank if unmarried.)	Jerome Miller

➔

My name is Betty Miller.
 My spouse's name is Jerome Miller.

And when the Spouse answer is left empty, the result looks like this:

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	What's the signer's name?	Betty Miller
Spouse	What's the signer's spouse's name? (Leave blank if unmarried.)	

➔

My name is Betty Miller.
 I am not married.

Lesson 4 Lesson 4 Lesson 4

Condition Markers

Take a close look at the markers (colored red here) that bracket this conditional sentence:




Everything between the markers is removed from the finished document unless the Condition is true. To review (or make changes to) the Condition, put the cursor in the beginning marker and click **Condition**.

Conditions Are Flexible. If you later change your mind about the material within a Condition, feel free to edit it. Type or copy new material between the two markers, or move the markers themselves – there's no need to recreate the Condition from scratch. To remove a Condition, be sure to delete both the beginning marker and its corresponding end marker.

Nested Conditions

Conditions can be *nested* inside other Conditions, but not *overlapped*. That means the innermost end-of-Condition marker marks the end of the innermost Condition.



If the outer Condition is false, all of its contents are removed from the finished document – including the entire inner Condition, regardless of whether the inner Condition is true or false.

Conditions and Answer Types

The appearance of the Condition screen varies depending on what type of answer is selected.

Conditions based on Text answers can depend on all sorts of criteria. The one shown here checks to see if the answer is empty, but you can create Conditions that check whether an answer starts with **Fred**, ends with **x**, contains **pop**, or equals **Lilith**; whether it's a number less than **38** or more than **16**, whether it's a date earlier or later than **May 11, 2012**; whether it's alphabetically before **possum** or after **flan**. Take a minute to experiment with the two dropdown boxes to see the endless possibilities.

You can even compare two answers. In this example, the selected text will be included in the finished document only if the answer to the **Payment** question is less than the answer to the **Minimum** question.

Conditions based on Text-with-Pronoun answers include all the possibilities of Text answers shown above, plus additional options that appear when **pronoun** is checkmarked.

In this example, the selected text will be included in the finished document only if the **Seller** is an **it** (a corporate entity, rather than an individual).

Conditions based on series answers present all sorts of possibilities, depending on whether **List**, **Sublist**, or **Item** is chosen.

List: This Condition depends on the total number of items in the Shareholders answer.

The selected text will be included in the finished document only if there is **exactly 1** shareholder.

Sublist: This Condition looks at a Sublist of items in the **Officers** answer: only the items that are checkmarked.

The selected text will be included in the finished document only if **more than 2** items in the answer are checkmarked.

Item: This Condition depends on the contents of a particular item in the **Addresses** answer.

The selected text will be included in the finished document only if the **First** address contains **Idaho**.


Conditions based on Dropdown answers depend on the choice that is made.

In this example, the selected text will be included in the finished document only if **Cremation** is chosen in the **Funeral** answer.

Master List columns:


If the answer uses a Master List (page 119) as the source of its choices, you can select any column of the Master List to be used in the Condition.

In this example, the selected text will be included in the finished document only if an email address for the selected architect is provided in the **Email** column of the Master List of architects.






Conditions based on Yes/No answers depend on the form user's response.


In this example, the selected text will be included in the finished document only if the answer to the **IsCitizen** question is **Yes**.



Modifying or Removing Conditions

You can go back and modify an existing Condition at any time. Just put the cursor in the **{if:}** marker and click  **Condition** to return to the Condition building screen.

While in this screen, you can click  to remove the Condition from the form, leaving its contents intact. In other words, click  to remove the **{if:}** marker from the beginning of the conditional text and the **}** marker from the end of the conditional text without removing anything between the markers.



Compound Conditions (a/k/a Boolean Conditions)

A single Condition may depend on multiple criteria.

Example 1: The sentence **You qualify for free shipping** might be used only when (1) the total order is over \$100; **AND** (2) the shipping address is in Oregon.

Example 2: The sentence **Please call us at your earliest convenience to avoid debt collection proceedings** might be used only when (1) the account is more than 3 months overdue; **OR** (2) the amount due is greater than \$1,000.

The AND and OR above are sometimes called Boolean operators. The **FormTool** includes three Boolean operators:

AND: For the Condition to be true, both parts must be true.

OR: For the Condition to be true, one or both parts must be true.

XOR (exclusive or): For the Condition to be true, exactly one part must be true, and the other false.

Lesson 5

Lesson 5

Lesson 5

Lesson 5: This AND That

In this form, Oregon residents qualify for free shipping on orders over \$100.



• Compound Condition (page 38)

1

Create the Questionnaire

a

Type or copy/paste this paragraph into a blank document

• Click  **Questionnaire**,  **Create** to add a Questionnaire

b

Fill in the Questionnaire as shown

a

Your order totaling \$___ will be shipped to ___. You qualify for free shipping!

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
OrderTotal	What's the total order amount?	
ShipAddr	What's the shipping address?	


b

2

Add Fields


a


Select the first blank line

• click  **Field**, select the **OrderTotal** answer, and click **OK**

b

Select the second blank line


• click  **Field**, select the **ShipAddr** answer, and click **OK**

 **Before**

a

Your order totaling \$___ will be shipped to ___. You qualify for free shipping!

b

 **After**


Your order totaling \${OrderTotal} will be shipped to {ShipAddr}. You qualify for free shipping!


TheFormTool PRO - Expert Guide (Version 3.1)

Page 39

3

Add the compound Condition

- a Select the second sentence and click  **Condition**
- b Select the **OrderTotal** answer
- c Select the condition **is more than 100**
- d Click **and/or** to add a second part to the condition
- e The top part of the screen shows a second part of the condition has been added, connected with **AND**. Select the second part.
- f Select the **ShipAddr** answer
- g Select the condition **contains Oregon** and click **OK**



== THE PAYOFF ==

The second sentence only appears in the finished document when the total order is more than \$100 AND the shipping address is in Oregon.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Total	What's the total order amount?	75
Addr	What's the shipping address?	111 Main Street, Bend, Oregon 88888




Your order totaling \$75 will be shipped to 111 Main Street, Bend, Oregon 88888.

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Total	What's the total order amount?	250
Addr	What's the shipping address?	111 Main Street, Bend, Oregon 88888



Your order totaling \$250 will be shipped to 111 Main Street, Bend, Oregon 88888. You qualify for free shipping!

Compound Conditions can be extraordinarily complex, with any number of parts connected with **AND**, **OR**, and **XOR**. To manage all those parts, use the buttons in the top-right part of the screen:



Add or remove parts with **+** and **×**.

Move the selected part up or down with **↑** **↓**.

Control the order in which parts are evaluated by **()** adding or **()** removing parentheses.

Parentheses in Compound Conditions

Remember back in math class when you learned that **(1 + 2) x 3** is different than **1 + (2 x 3)**? The parentheses control the order of operations. So the first statement results in **9**, while the second statement results in **7**.

Well, parentheses are just as important in compound Conditions. For example, suppose we wanted to find everyone with a first name of either Jon or John, and a last name of Smith. This statement would work perfectly, finding John Smith and Jon Smith:

({FirstName} is John OR {FirstName} is Jon) AND {LastName} is Smith

But this statement would fail, finding John Jones, John Adams, John Smith, and Jon Smith:

{FirstName} is John OR ({FirstName} is Jon AND {LastName} is Smith)


Use parentheses to control the order of operations in compound Conditions whenever there's any potential for error.

Lesson 6:**This OR That AND the Other Thing**

- Yes/No answer (page 11)
- Compound Condition (page 38)
- Parentheses in Conditions (page 41)

This Payment Due notice uses a stern tone for large or late balances, unless the client is a Preferred Customer.

1**Create the Questionnaire**


- a** Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**, **+** **Create** to add a Questionnaire
- b** Fill in the Questionnaire as shown

Please submit the total amount due within two weeks or we will commence legal action. The total amount due is \$____. Please submit a minimum payment of half that amount at your earliest convenience.


a

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
TotalDue	What's the total amount due?	
Over90	Is the last payment over 90 days old?	
IsPC	Is this a Preferred Customer?	

b**2****Create Smart Answers**

- a** Put the cursor in the **Over90** answer box
- Click  **Smart Answer**
- b** Select **Yes/No** and click **OK**
- c** Do the same for the **IsPC** answer box

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
TotalDue	What's the total amount due?	
Over90	Is the last payment over 90 days old?	
IsPC	Is this a Preferred Customer?	


a**c****b**

3

Add a Field

- a Select the blank line
- click  **Field**, select the **TotalDue** answer, and click **OK**

 **Before**

Please submit the total amount due within two weeks or we will commence legal action. The total amount due is \$ . Please submit a minimum payment of half that amount at your earliest convenience.



 **After**

Please submit the total amount due within two weeks or we will commence legal action. The total amount due is \${TotalDue}. Please submit a minimum payment of half that amount at your earliest convenience.

The first sentence threatens legal action. It should appear only if the balance due is very large or very late (over \$1,000 or over 90 days) AND the client is not one of our Preferred Customers.

4

Add the first Condition

- a Select the first sentence (including the space at the end) and click  **Condition**
- b Select the condition **TotalDue is more than 1000**
- c Click **and/or** to add a second part to the condition
- d Select the condition **Over90 is Yes** for the second part
- e Click  to add a third part to the condition
- f Select the condition **IsPC is No** for the third part
- g Select the **AND** operator
- h Select **OR** to change the operator
- Don't close this screen yet – more to come in the next step

Please submit the total amount due within two weeks or we will commence legal action. The total amount due is \${TotalDue}. Please submit a minimum payment of half that amount at your earliest convenience.

Show the selected text if:

Questionnaire

IsPC
Over90
TotalDue

is more than
this number:
1000

and/or

OK Cancel

(c) 2011-2016 Snapdome, Inc.

{TotalDue} is more than 1000
AND
{Over90} is Yes
AND
{IsPC} is No

Questionnaire

IsPC
Over90
TotalDue

is
No

OK Cancel

(c) 2011-2016 Snapdome, Inc.

We need to ensure that the three parts of the compound Condition are evaluated in the proper sequence. We want to determine whether or not:


{TotalDue} is more than 1000 OR {Over90} is Yes) AND {IsPC} is No

Note the placement of the parentheses above. They tell us that the first two parts will be evaluated first. (Is the total due more than \$1,000 OR the last payment older than 90 days?) If the answer to that is true AND the third part is true (not a Preferred Customer), then the whole Condition is true.

5

Add parentheses

- a Select the first part of the condition
- b Click (to add a left parenthesis
- c A red border warns that we don't yet have a pair of parentheses
- d Select the second part of the condition
- e Click) to add a right parenthesis, and click **OK**




The last sentence in the form should appear whenever the first sentence does not: when either (a) the balance due is small or not very late, or (b) the Client is a Preferred Customer.

{TotalDue} is less than \$1,000.01 OR {Over90} is No) OR {IsPC} is Yes

The odd figure \$1,000.01 is used so that a balance of exactly \$1,000 will be included in this Condition.

6


Add the second Condition

- Select the last sentence and click  **Condition**
- Use the methods from Steps 4 and 5 to create this condition (note the parentheses):

({TotalDue} is less than 1000.01
OR
{Over90} is No)
OR
{IsPC} is Yes

- Click **OK**

{if: Please submit the total amount due within two weeks or we will commence legal action. } The total amount due is \${TotalDue}. Please submit a minimum payment of half that amount at your earliest convenience.



== THE PAYOFF ==

The form produces two distinct outcomes. If the balance due is large or late and the client is not a Preferred Customer:

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
TotalDue	What's the total amount due?	8,500
Over90	Is the last payment over 90 days old?	yes
IsPC	Is this a Preferred Customer?	no

Please submit the total amount due within two weeks or we will commence legal action. The total amount due is \$8,500.

In all other circumstances:

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
TotalDue	What's the total amount due?	8,500
Over90	Is the last payment over 90 days old?	yes
IsPC	Is this a Preferred Customer?	yes

The total amount due is \$8,500. Please submit a minimum payment of half that amount at your earliest convenience.

Nested Conditions

Conditions can be nested inside other Conditions. You might create an agreement form in which Article III is optional, contained within one great big Condition. Within that article, several paragraphs might also be conditional, either as a group or individually. And within each of those paragraphs other

Conditions might be used to select particular sentences or words. There is no limit to how deeply Conditions may be nested.

Special Conditions

Conditional A/An

Consider this form.


The owner is a {CompanyName} corporation.


If the state is **Texas**, the resulting document looks like this – no problems.

The owner is a Texas corporation.

But if the state is **Idaho**, the resulting document looks like this. Problem! The **a** should be **an**.

The owner is a Idaho corporation.

To solve this problem, select the **a** in the form, click  **Condition**, and click **Yes**.



Make this a conditional a/an, depending on the word that follows it?

The form now includes a conditional **{a}** code. When the form is Filled, the **{a}** will become either **a** or **an**, as needed.

{CompanyName} is {a} {CompanyName} corporation.

Conditional Period

Consider this form.


The name of the company is {CompanyName}.


If the company is **Acme**, the resulting document looks like this – no problems.

The name of the company is Acme.

But if the company is **Acme, Inc.** the resulting document looks like this. Problem! There are two periods at the end of the sentence.

The name of the company is Acme, Inc..

To solve this problem, select the period in the form, click  **Condition**, and click **Yes**.



Make this a conditional period, depending on whether it is preceded by a period?

The form now includes a conditional `{.}` code. When the form is Filled, the `{.}` will disappear if it is preceded by a period, so there will never be two periods at the end of the sentence.

The name of the company is
`{CompanyName}{.}`


Conditional Row in Table

When a form includes tables, you may want to remove an entire table row under certain conditions. For example, in this form the Tax and Subtotal rows should be removed when tax is equal to 0.

Your purchases are:

Item	Price
Widgets	
Gadgets	
SUBTOTAL:	<code>{SubtotalAmount}</code>
Tax	<code>{TaxAmount}</code>
TOTAL:	<code>{TotalAmount}</code>

Thank you for shopping with us.

To make the Subtotal row conditional, put the cursor anywhere in that row (but don't select any text), click  **Condition**, and click **Yes** to open the Condition screen.

Make this whole row conditional?

Note that, unlike other Conditions that determine when text will be included, this Condition determines when the selected row will be removed.

In this example, the selected row will be removed when **TaxAmount is this number: 0**.

Remove the selected row if:

Questionnaire

SubtotalAmount
TaxAmount
TotalAmount

is
this number:
0

and/or

OK Cancel

(c) 2018-2019 Snapdown, Inc.

When **OK** is clicked, a **RemoveRow** Condition is added to the form.

Your purchases are:

Item	Price
Widgets	
Thingies	
SUBTOTAL:	<code>{if:[RemoveRow]}</code>
Tax	
TOTAL:	




Thank you for shopping with us.


In this example, the Tax row is also conditional, so we would add the same Condition to it. (Or just copy the first Condition and paste it into the Tax row.)

Your purchases are:

Item	Price
Widgets	
Thingies	
SUBTOTAL: {if:[RemoveRow]}	
Tax {if:[RemoveRow]}	
TOTAL:	


Thank you for shopping with us.


Unlike other Conditions that are fully processed during  **Fill**, conditional rows are merely marked for deletion and are not removed from the document until it is finalized with  **Petrify** (page 115). A message notifies form users of this requirement at the end of  **Fill**.





Conditional Section in Document

When a form is divided into sections using Word’s Section Break feature, you may want to remove an entire section under certain conditions.


To make a whole section conditional, put the cursor anywhere in that section (but not in a table, and don’t select any text) and click  **Condition**. Click **Yes** to open the Condition screen, and create the Condition as you ordinarily would. Like the conditional rows described above, this Condition determines whether the selected section will be removed. A **RemoveSection** marker is added to the form, similar to the **RemoveRow** marker described above.



Like conditional rows, conditional sections are merely marked for deletion during  **Fill** and are not removed from the document until it is finalized with  **Petrify**.



Telescoping Parentheses

This special condition is designed especially for legal pleading captions. It produces a flexible vertical stack of parentheses separating the two halves of a caption.

As shown here, create a 3x1 Word table with a very narrow middle column, and with border lines turned off (a dotted line is shown here for clarity). Type a lone parenthesis **)** in the middle column, select it, click  **Condition**, and click **Yes**.
When the form is Filled, parenthesis will telescope to precisely fill the center column.

{PltfName}, v. {RspName}, Respondent.)	Case No. {CaseNum} {PleadTitle}
--	---	--

The Difference Between a Field and a List

When inserting info from a series answer into a form, it makes a big difference whether you click  **Field** or  **List**. Fields retrieve *info about the series* (e.g., the number of shareholders) or *a particular item* in the series (e.g., the name of the largest shareholder); and Lists retrieve *a set of items* from the List (e.g., the name of each shareholder). Since Lists can retrieve multiple items, the options for arranging those items are extensive (or, to be more precise: infinite).

For example, to turn this sentence into a form, you would create a Questionnaire with just one question, using a Text series answer (page 8).

I have three children: Sue, Tom, and Mary.

TheFormTool (c) 2016 Snapdone, Inc.		
Label	Question	Answer
Kids	List all the children.	[??] [??] [??]

Then you'd insert a Field to retrieve the number of children (*info about the series*).

I have {#} children: Sue, Tom, and Mary.

And you'd insert a List to retrieve the names of the children (*a set of items from the series*).


I have {#} children: {List 1: {Kids 1X}}, {Kids 1X} and {Kids 1X}.

Inserting a List

To insert a List in a form (shareholders, signers, children, executors, etc.), click  **List**.

Select the desired answer, choose a built-in List format, and click **OK**. The formats are described below.

Only series answers are included in the List screen. If the answer you want does not appear, it is not a series answer (Textbox series, Dropdown series, Yes/No series, Checkboxes, Derived series, or Grid).



The built-in List formats are:

Tic, Tac and Toe creates a narrative List separated by commas, without a comma before the last item.

Griselda Pugh, Horace Blixt, Eunice Brimley and Bertrand Guff

Tic, Tac, and Toe creates a narrative List separated by commas, with a comma before the last item.

Griselda Pugh, Horace Blixt, Eunice
Brimley, and Bertrand Guff

Tic; Tac; and Toe creates a narrative List separated by semicolons.

Griselda Pugh; Horace Blixt; Eunice
Brimley; and Bertrand Guff

The **[repeating paragraphs]** format repeats a paragraph for each item in a List.

Sample paragraph about Griselda Pugh.
Sample paragraph about Horace Blixt.
Sample paragraph about Eunice Brimley.
Sample paragraph about Bertrand Guff.

Choose **[table format]** to arrange items in a Word table.


Choose the number of **Columns** in the table.

If **One item per row** is checked, each List item appears in the left column, and the remaining columns can be used for other info.

The **Lines** checkbox determines whether border lines appear in the table.

Checkmark **Headings in first row** to include headings for each column in the table.

Checkmark **Totals in last row** to create an additional row under the List items that automatically generates totals for each column.




See a preview of your choices here.

After adding a table-formatted List to a form, you can further customize the table – type your own headings, remove totals from columns where they don't apply, add shading or other formatting, etc. In fact, you can customize any of the List formats to fit your exact needs.

Number Dots? You might be wondering about the circled numbers that show up in List structures: {List^①:{Kids^①X}|, {Kids^①X}| and {Kids^①X}}. They indicate the *layer* of a List or Field. Mostly you'll see ^①, but if you start nesting Lists inside other Lists you'll see ^②, ^③, and maybe more. See page 54 for more about layers.

Three Clauses in Every List

Every List contains three clauses separated by markers (the markers are colored red below):



The three clauses give flexibility when crafting Lists. For example, in the List shown above, the middle clause includes a comma, and the last clause includes **and**. With four kids, the resulting List looks like this: **Andy, Betty, Carl and Debra**. (There are two commas, because the middle clause appears twice, because there are two middle kids.)

Look at two more sample Lists below, and their results for four kids. Notice that the middle clause appears twice in each sample, because there are two middle kids.

This custom List ...	→	... creates this finished product
{List:} My firstborn child is {Kids#X} , the next oldest is {Kids#X} , and the youngest is {Kids#X} .		My firstborn child is Andy, the next oldest is Betty, the next oldest is Carl, and the youngest is Debra.
The remainder of my estate is divided as follows: {List:} One equal share to {Kids#X} ; One equal share to {Kids#X} ; and One equal share to {Kids#X} .		The remainder of my estate is divided as follows: One equal share to Andy; One equal share to Betty; One equal share to Carl; and One equal share to Debra.

Lesson 7

Lesson 7

Lesson 7

Lesson 7: Lists

- Text series answer (page 8)
- Dropdown answer (page 9)
- List (page 49)



This form uses a series answer three different ways: two types of Lists and as a source for another answer.

1

Create the Questionnaire

a

Type or copy/paste this text into a blank document

Click  **Questionnaire**,  **Create** to add a Questionnaire

b

Fill in the Questionnaire as shown

The following shareholders attended the meeting: Gretel Murphy and Derek Wiley. The shareholders unanimously elected Gretel Murphy as President of the Company.

Shareholders:



Gretel Murphy


Derek Wiley

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Shareholders	List all the shareholders.	
President	Who is the president of the company?	

2

Create Smart Answers


- Put the cursor in the **Shareholders** answer box and click  **Smart Answer**
- Select **Series of text boxes** and click **OK**
- Put the cursor in the **President** answer box and click  **Smart Answer**
- Click the **Dropdown** answer type
- Select the source **another answer**, **Shareholders** and click **OK**



Label	Question	Answer
Shareholders	List all the shareholders.	
President	Who is the president of the company?	

3

Add a Field

- Select Gretel Murphy in the second sentence
- click  **Field**, select the **President** answer, and click **OK**

 **Before**

The following shareholders attended the meeting: Gretel Murphy and Derek Wiley. The shareholders unanimously elected **Gretel Murphy** as President of the Company.

 **After**


The following shareholders attended the meeting: Gretel Murphy and Derek Wiley. The shareholders unanimously elected **{President}** as President of the Company.

4

Add the first List

- a Select **Gretel Murphy and Derek Wiley** and click **List**
- b Select the **Shareholders** answer
- c Select the **Tic, Tac and Toe** appearance and click **OK**

The following **a** shareholders attended the meeting: **Gretel Murphy and Derek Wiley**. The shareholders unanimously elected **{President}** as President of the Company.



5

Add the second List

- a Select the signature block and click **List**
- b Select the **Shareholders** answer
- c Select the **[repeating paragraphs]** appearance and click **OK**

The following shareholders attended the meeting: **{List 1: {Shareholders 1X}}**, **{Shareholders 1X}** and **{Shareholders 1X}**. The shareholders unanimously elected **{President}** as President of the Company.

Shareholders:

Gretel Murphy

Derek Wiley


Before

The following shareholders attended the meeting: **{List 1: {Shareholders 1X}}**, **{Shareholders 1X}** and **{Shareholders 1X}**. The shareholders unanimously elected **{President}** as President of the Company.

Shareholders:

**{List 1: Sample paragraph about {Shareholders 1X}.
[[ditto]] [ditto]}**

After



In the **[repeating paragraphs]** List appearance, **[ditto]** indicates that the contents of the first clause are duplicated in the middle clause, and duplicated again in the last clause. So any changes made in the first clause are reflected in the middle and last clauses. This is handy when you want every item in the List to be treated identically.

6

Customize the second List

- a Replace **Sample paragraph about** with a blank line followed by a hard return (**Enter**)
- b Delete the period

⌚ Before

Shareholders:

{List 1: Sample paragraph about {Shareholders 1X}.
|[ditto]| |[ditto]|

⌚ After

Shareholders:

{List 1: _____
{Shareholders 1X}
|[ditto]| |[ditto]|

≡ THE PAYOFF ≡

Note that the shareholder names only need to be typed once, but appear twice in the form. And the form user selected the president in a dropdown box containing shareholder names, so the president's name was used three times in the form but only typed once.

TheFormTool (c) 2011-2015		
Label	Question	Answer
Shareholders	List all the shareholders.	Roger Billings Esther Graves Bea Lester
President	Who is the president of the company?	Esther Graves



The following shareholders attended the meeting:
Roger Billings, Esther Graves and Bea Lester.

The shareholders unanimously elected Esther Graves as President of the Company.

Shareholders:

Roger Billings

Esther Graves

Bea Lester

After typing shareholder names in the first answer and moving the cursor to the second answer box, a flag appears above the cursor, reminding the form user to **click Refresh to update list**. After clicking **Refresh**, the names from the first answer are selectable in the second answer's dropdown box.


List Layers

A List can be nested inside another List (which may itself be nested inside another List, up to 10 layers deep). To keep track of nested Lists and the Fields and Conditions they contain, TheFormTool uses 1 2 3 indicators. You will most commonly see 1s in your forms, but other numbers will appear in rare situations where nested Lists occur. If you ever add an item Field *outside* a List (unusual, but possible), it will be tagged with a 0.

Here a List of shareholders (layer ❶) creates a paragraph for each shareholder. Within each paragraph, a List of directors (layer ❷) is nested.

{List❶:Shareholder {Shareholders❶X}} votes to approve the following directors:
 {List❷:{Directors❷X}}, {Directors❷X} and {Directors❷X}}.
 |[ditto]| [ditto]

When working within nested Lists, note the layer selector button that appears in many screens. You can ignore it *almost* always. But in rare circumstances (like the lesson below), you will click this button to refer to info from an outer layer while you're working within a nested layer.



Lesson 8

Lesson 8

Lesson 8

Lesson 8: List Layers

- Grid (page 14)
- Dropdown answer (page 9)
- Date Field (page 16)
- Sublist (page 67)
- List layers (page 54)

Consider this signature block:

Signed this ____ day of ____, ____.

[name of buyer]

By: _____

[signer], [title]

We should put the Buyer signature in a List, so the form will be able to handle multiple Buyers. And what if one of the Buyers has several parties signing for it? They can be handled with a nested List.

Lesson 8

1

Create the Questionnaire and a Grid

- a** Type or copy/paste the signature block into a blank document
- Click **Questionnaire**, **+** **Create** to add a Questionnaire
- b** Fill in the Questionnaire as shown
- Click **Questionnaire**, **Grid**, **+** **Add**, and choose **2** columns

a

Signed this ____ day of _____, ____.

[name of buyer]

By: _____
[signer], [title]

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
SignDate	Date of signing	

Every Grid has four parts:

Overall instructions that apply to the entire Grid.

A label for each column (Field names)

A heading for each column (instructions for user)

Answer boxes where the form user responds

[instructions]

[label]	[label]	[label]	[label]
[heading]	[heading]	[heading]	[heading]

2

Fill in the Grid


- a** Fill in the Grid and its instructions as shown

a


List the Buyer(s) first, then any people/entities signing for Buyer(s):

Name	Parent
Name of Buyer or signer	If signing for a Buyer, which one?

3 Create a Smart Answer


- Put the cursor anywhere in the **Parent** column of the Grid and click  **Smart Answer**
- Click the **Dropdown** answer type
- Select the source **another answer, Name** and click **OK**

Name	Parent
Name of Buyer or signer	If signing for a Buyer, which one?




This is an unusual arrangement, but it works well for this situation. Each entity in the left column might have a “parent” entity. In each row of the right column, we provide a dropdown answer that offers all of the names in the left column as its choices.

4 Add a date Field

- Select the text that will be replaced with a date Field and click  **Field**
- Select the **SignDate** answer
- Select the **Date** Field type
- Select the **1st day of May, 2010** format and click **OK**

Signed this ___ day of ___, ___.



5

Add a Sublist

- a Select the signature block and click **List**
- b Select the **Name** answer
- c Click **Sublist**
- d Choose to only include items where **{Parent}** is empty
- e Select **[repeating paragraphs]** appearance and click **OK**

Signed this {SignDate}.

[name of buyer]

By: [signer], [title]

Questionnaire | ab

Name

Appearance

[repeating paragraphs]

List Sublist

Only include items where:

{Parent}

is

empty

This outermost Sublist (layer 1) only includes entities from the Grid who do not have a "parent." So it includes the Buyer(s) without including any parties signing on behalf of the Buyer(s).

(c) 2011-2016 Snapdone, Inc.

6

Customize the Sublist

- a Delete **Sample paragraph about**
- b Replace the period with two hard returns (press **Enter** twice)

Signed this {SignDate}.

{Sublist1:Sample paragraph about {Name1X}.
[[ditto]][ditto]]

Signed this {SignDate}.





{Sublist1:{Name1X}}
[[ditto]][ditto]]


Before

After

The outer List (layer 1) will repeat once for each Buyer **{Name1X}**. Within each iteration, we'll create a nested List (layer 2) that repeats once for each of the current Buyer's signers.

Add a nested Sublist

- ## Add a nested Sublist
- a Put the cursor where signers' names should appear (the line above the [ditto]s) and click  **List**
 - b Select the **Name** answer
 - c Select **[repeating paragraphs]** appearance
 - d Click **Sublist**
 - e Choose to only include items where **{Parent} is this text: {Name}**
 - f Select the **Current** item
 - g Click  to change the layer
 - h Click  to use the name from layer 
 - i Click **OK**



To help explain why we chose layer ❶ above, suppose we have two buyers and three signers:

Name	Parent
Name of Buyer or signer	If signing for a Buyer, which one?
Acme, Inc.	
Smith Co.	
Alan Acme	Acme, Inc.
Bernice Smith	Smith Co.
Claudia Smith	Smith Co.

The outer List (layer ❶) is a list of *buyers*. It will repeat twice: once for buyer **Acme, Inc.** and once for buyer **Smith Co.** For each buyer there is an inner List (layer ❷) of *signers*.

The first time through the outer List, buyer **Acme, Inc.** is named, and the inner List consists of all the people whose parent is **Acme, Inc.** (the current buyer in layer ①).

The second time through the outer List, buyer **Smith Co.** is named, and the inner List consists of all the people whose parent is **Smith, Co.** (the current buyer in layer ①).

In both cases, the inner list of signers is determined by looking to see who is a child of the current buyer in layer ①.

8

Customize the nested Sublist

- a Replace **Sample paragraph about** with **By: _____** followed by a hard return (**Enter**) and a Tab
- b Delete the period

Signed this {SignDate}.

{Sublist1:{Name1X}}

{Sublist2:Sample paragraph about {Name2X}}
 [[ditto]] [[ditto]]
 [[ditto]] [[ditto]]

Before

Signed this {SignDate}.

{Sublist1:{Name1X}}

{Sublist2:By: _____}
 {Name2X}
 [[ditto]] [[ditto]]
 [[ditto]] [[ditto]]

After

== THE PAYOFF ==

Nested lists create a flexible hierarchy of signatures from a single Grid.

Doxserá (c) 2011-2016		
Label	Question	Answer
SignDate	Date of signing?	2/17/2017

List the Buyer(s) first, then any people/entities signing for Buyer(s):

Name	Parent
Name of Buyer or signer	If signing for another entity, for whom?
Acme, Inc.	[??]
Smith Co.	[??]
Alan Acme	Acme, Inc.
Bernice Smith	Smith Co.
Claudia Smith	Smith Co.



Signed this 17th day of February, 2017.

Acme, Inc.

By: _____
 Alan Acme

Smith Co.

By: _____
 Bernice Smith

By: _____
 Claudia Smith

Linked Answers in Lists

Every List is based on a particular series answer in the Questionnaire. But when customizing Lists, you can include Fields that refer to *any* answer, not just the original series answer. And you'll get even more mileage out of answers that are linked to the original series.

Lesson 9:



List with Linked Answer

- Text series answer (page 8)
- Linked answer (page 8)
- List (page 49)
- Current item Field (page 63)

This form gathers and presents related data (names and birthdates).

1

Create the Questionnaire



- Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown


I leave the remainder of my estate to my children: Andy (born January 1, 1991), Betty (born February 2, 1992), Carl (born March 3, 1993) and Debra (born April 4, 1994).

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Kids	List the will maker's children.	
DOB	What's each child's date of birth?	

2

Create Smart Answers

- Put the cursor in the **Kids** answer box and click  **Smart Answer**
- Select **Series of text boxes** and click **OK**
- Put the cursor in the **DOB** answer box and click  **Smart Answer**
- Select **Series of text boxes**
- Checkmark **Link to a preceding series answer or a Grid**
- Select the **Kids** answer and click **OK**



The screenshot shows the TheFormTool interface with the questionnaire table and the Smart Answer configuration dialog. The table has columns for Label, Question, and Answer. The 'Kids' row has the question 'List the will maker's children.' and the 'DOB' row has the question 'What's each child's date of birth?'. The Smart Answer dialog is open, showing options for 'Single text box', 'Series of text boxes', and 'Link to a preceding Series answer or a Grid'. The 'Series of text boxes' option is selected. The 'Link to a preceding Series answer or a Grid' checkbox is checked. The 'Kids' answer is selected in the dropdown menu. An example of the linked answer is shown in the bottom right corner.

Label	Question	Answer
Kids	List the will maker's children.	
DOB	What's each child's date of birth?	

Example

Linked answers ask for more info about responses in a preceding Series answer. Responses in the preceding answer are used to identify each text box in the Linked answer.

Question	Answer
List the parties	Ol Parker
	Emi Lake
	Pat Coe
What's each party's birth date?	Ol Parker 4/17/1960
	Emi Lake 8/31/1989
	Pat Coe 2/17/1962

3

Add a List

- a Select the kids and dates that will be replaced with a List and click **List**
- b Select the **Kids** answer
- c Select the **Tic, Tac, and Toe** appearance and click **OK**

I leave the remainder of my estate to my children: Andy (born January 1, 1991), Betty (born February 2, 1992), Carl (born March 3, 1993) and Debra (born April 4, 1994).

The screenshot shows the 'Questionnaire' editor with the 'Kids' list selected. The 'Appearance' dropdown is set to 'Tic, Tac, and Toe'. The 'Blank line' checkbox is checked. The 'OK' button is visible.

Even when creating a custom List, you always use one of the predefined List appearances as a starting point. In this case, the closest match is **Tic, Tac, and Toe**.

4

Customize the List with additional text

- a In each of the three clauses, type **(born ____)** after the **{Kids❶X}** Field

Before

I leave the remainder of my estate to my children: {List❶:{Kids❶X}}, {Kids❶X} {#>2:,} and {Kids❶X}.

After

I leave the remainder of my estate to my children: {List❶:{Kids❶X} (born ____)}, {Kids❶X} (born ____){#>2:,} and {Kids❶X} (born ____).

5

Add a Field

- a Select the first blank line and click **Field**
- b Select the **DOB** answer
- c Select the **Current** item
- d Select the **Date** Field type and click **OK**

I leave the remainder of my estate to my children: {List❶:{Kids❶X} (born ____)}, {Kids❶X} (born ____){#>2:,} and {Kids❶X} (born ____).

The screenshot shows the 'Questionnaire' editor with the 'DOB' field selected. The 'Field' type is set to 'Date'. The 'Defined format' is set to 'May 1, 2010'. The 'Blank line' checkbox is checked. The 'OK' button is visible.

You will almost always use **Current** item when adding Fields from a linked answer into a List. For an exception, see Lesson 10 on page 64.

6

Add two more Fields a Select **{DOB1X}** and copy with **Ctrl+C**b Select each remaining blank line and paste with **Ctrl+V****Before**

a I leave the remainder of my estate to my children: {List1: {Kids1X} (born {DOB1X}) |, {Kids1X} (born ____)|{#>2:},} and {Kids1X} (born ____).

After

I leave the remainder of my estate to my children: {List1: {Kids1X} (born {DOB1X}) |, {Kids1X} (born {DOB1X}) |{#>2:},} and {Kids1X} (born {DOB1X})}.

== THE PAYOFF ==

No matter how many children are typed in the Questionnaire, the custom List expands to accommodate them, and includes supplemental info (a birthdate) for each.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
Kids	List the will maker's children.	Ann Bill Carla Dan
DOB	What's each child's date of birth?	Ann: 1/1/2001 Bill: 2/2/2002 Carla: 3/3/2003 Dan: 4/4/2004



I leave the remainder of my estate to my children: Ann (born January 1, 2001), Bill (born February 2, 2002), Carla (born March 3, 2003), and Dan (born April 4, 2004).

First, Previous, Current, Next, and Last

You might have wondered about the **X** in Fields that appear within Lists:

{Kids1X}**{DOB1X}**

The character after the **1** indicates which item in the List should be used for that Field. **X** refers to the *current* item. But once in a blue moon special circumstances may arise — you might want the third clause to refer to the *first* item, or you might want each occurrence of the middle clause to refer to the *next* item. The five possibilities are:

F = First**P = Previous****X = Current****N = Next****L = Last**



Lesson 10: List with Previous Item

- Text series answer (page 8)
- List (page 49)
- Current item Field (page 63)
- Previous item Field (page 63)

This form automatically handles a fiddly situation – referring to previous items in a list – that you previously had to do by hand.

1

Create the Questionnaire

- Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown

a

I select Alan Avery as my personal representative. If Alan Avery is unable or unwilling to serve, then I select Brenda Blake. If Brenda Blake is unable or unwilling to serve, then I select Carla Cooper.

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
PRs	List the personal representatives	

Note the structure of the paragraph in this form. The first sentence refers to the first personal representative.

I select **Alan Avery** as my personal representative.

The middle sentence refers to the first and second personal representatives.


If **Alan Avery** is unable or unwilling to serve, then I select **Brenda Blake**.

And the last sentence refers to the second and third personal representatives. We'll handle this awkward situation with "previous" Fields.


If **Brenda Blake** is unable or unwilling to serve, then I select **Carla Cooper**.

2

Create a Smart Answer

- Put the cursor in the **PRs** answer box and click  **Smart Answer**
- Select **Series of text boxes** and click **OK**

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
PRs	List the personal representatives	




3

Add a List

- a Select the whole passage and click **List**
- b Select the **PRs** question and **Tic, Tac and Toe** appearance, and click **OK**

a I select Alan Avery as my personal representative. If Alan Avery is unable or unwilling to serve, then I select Brenda Blake. If Brenda Blake is unable or unwilling to serve, then I select Carla Cooper.



4

Customize the first clause

In the first clause:

- a Type **I select** before **{PRs1X}**
- b Type **as my personal representative.** (including space at the end) after **{PRs1X}**

Before {List1:{PRs1X}}, {PRs1X} and {PRs1X}

After {List1:I select {PRs1X} as my personal representative. , {PRs1X} and {PRs1X}}

5

Customize the middle clause

In the middle clause:

- a Delete the comma and type **If ___ is unable or unwilling to serve, then I select** before **{PRs1X}**
- b Type a period and space after **{PRs1X}**

Before {List1:I select {PRs1X} as my personal representative. , {PRs1X} and {PRs1X}}

After {List1:I select {PRs1X} as my personal representative. If ___ is unable or unwilling to serve, then I select {PRs1X}. and {PRs1X}}

6

Customize the last clause

In the last clause:

- Delete **and** and type **If ____ is unable or unwilling to serve, then I select** before {PRs1X}
- Type a period after {PRs1X}

Before

{List1}: I select {PRs1X} as my personal representative. If ____ is unable or unwilling to serve, then I select {PRs1X}. and {PRs1X}

After


{List1}: I select {PRs1X} as my personal representative. If ____ is unable or unwilling to serve, then I select {PRs1X}. If ____ is unable or unwilling to serve, then I select {PRs1X}.

7

Add a Field

- Select the first blank line and click **Field**
- Select the **PRs** answer
- Select the **Previous** item and click **OK**

{List1}: I select {PRs1X} as my personal representative. If ____ is unable or unwilling to serve, then I select {PRs1X}. If ____ is unable or unwilling to serve, then I select {PRs1X}.



When the form is Filled and a “previous” Field is encountered, the previous item in the List is retrieved instead of the current item.

8

Add one more Field

- Select {PRs1P} and copy with **Ctrl+C**
- Select the blank line and paste with **Ctrl+V**

Before

{List1}: I select {PRs1X} as my personal representative. If {PRs1P} is unable or unwilling to serve, then I select {PRs1X}. If ____ is unable or unwilling to serve, then I select {PRs1X}.

After

{List1}: I select {PRs1X} as my personal representative. If {PRs1P} is unable or unwilling to serve, then I select {PRs1X}. If {PRs1P} is unable or unwilling to serve, then I select {PRs1X}.

Lesson 10
Lesson 10
Lesson 10

== THE PAYOFF ==

The language changes dynamically depending on the number of personal representatives typed into the Questionnaire.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
PRs	List the personal representatives.	Humphrey Cogg

➔

I select Humphrey Cogg as my personal representative.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
PRs	List the personal representatives.	Humphrey Cogg Ella Grendle

➔

I select Humphrey Cogg as my personal representative. If Humphrey Cogg is unable or unwilling to serve, then I select Ella Grendle.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
PRs	List the personal representatives.	Humphrey Cogg Ella Grendle Stanley Frock Quentin Lacrosse

➔

I select Humphrey Cogg as my personal representative. If Humphrey Cogg is unable or unwilling to serve, then I select Ella Grendle. If Ella Grendle is unable or unwilling to serve, then I select Stanley Frock. If Stanley Frock is unable or unwilling to serve, then I select Quentin Lacrosse.

Lesson 10
Lesson 10
Lesson 10


Sublists

You may also create a List that includes only some of the items typed by the form user in a series answer.

To insert a Sublist in a form, click **List**, select an answer, then click **Sublist** and choose which items should be included.

In the example shown here, the Questionnaire includes a series answer labeled **Infractions**, and a linked answer labeled **Rule**. The Sublist being created will only include infractions that violate **Rule 37(b)**.

If additional criteria are required to create your Sublist, click **and/or** to create a compound Condition (page 38).





Lesson 11: Sublists

- Text series answer (page 8)
- Dropdown linked series answer (page 9)
- Sublist (page 67)

This form derives two Sublists from a single series of names.

1

Create the Questionnaire

- Type or copy/paste this paragraph into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown

Officers who attended the meeting were Alan Diggle, Bernice Fenster, and Roy Barnes. Also present were Jerome Fuller, Cynthia Wilson, and Esther Spaulding.



a


b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Attendees	List all the attendees.	
Officers	For the attendees who are officers, choose an office.	

2

Create Smart Answers

- Put the cursor in the **Attendees** answer box and click  **Smart Answer**
- Select **Series of text boxes** and click **OK**
- Put the cursor in the **Officers** answer box and click  **Smart Answer**
- Click the **Dropdown** answer type
- Select **Series of dropdowns**, **Link to a preceding series answer or a Grid**, **Attendees**
- Select the source **typed here**
- Type the choices **President**, **Secretary**, and **Treasurer** (each on a separate line) and click **OK**



The screenshot shows the TheFormTool interface with a questionnaire table and a Smart Answer configuration dialog. The questionnaire table has two rows: 'Attendees' with the question 'List all the attendees.' and 'Officers' with the question 'For the attendees who are officers, choose an office.' The Smart Answer dialog is open for the 'Officers' row, showing the 'Dropdown' answer type. The 'Series of dropdowns' option is selected, and the 'Link to a preceding Series answer or a Grid' is set to 'Attendees'. The 'Source for choices' is set to 'typed here'. The 'Dropdown choices' list contains 'President', 'Secretary', and 'Treasurer'. The 'Example' section shows a preview of the form with the 'Officers' row linked to the 'Attendees' row.

3

Add the first Sublist

- Select **Alan Diggle, Bernice Fenster, and Roy Barnes** and click **List**
- The **Attendees** question and **Tic, Tac and Toe** appearance are selected
- Click **Sublist**
- Choose to include items where the **{Officers}** answer is **any of these: President, Secretary, Treasurer**, and click **OK**

Officers who attended the meeting were Alan Diggle, Bernice Fenster, and Roy Barnes. Also present were Jerome Fuller, Cynthia Wilson, and Esther Spaulding.

This Sublist will only include Attendees in the first question who have been tagged with an officer designation in the second question.


4

Add the second Sublist

- Select **Jerome Fuller, Cynthia Wilson, and Esther Spaulding** and click **List**
- The **Attendees** question and **Tic, Tac and Toe** appearance are selected
- Click **Sublist**
- Choose to include items where the **{Officers}** answer is **none of these: President, Secretary, Treasurer**, and click **OK**

Officers who attended the meeting were {Sublist Attendees1X}|, {Attendees1X}|, and {Attendees1X}|. Also present were Jerome Fuller, Cynthia Wilson, and Esther Spaulding.

This Sublist will only include Attendees in the first question who have not been tagged with an officer designation in the second question.

At first glance, the two **{Sublist1:}** codes appear to be identical, but they are not. To review (or change) the specifics of a Sublist, put the cursor in the code and click  **List** to return to the List editing screen.

Officers who attended the meeting were {Sublist1:Attendees1X}|, {Attendees1X}| and {Attendees1X}}. Also present were {Sublist1:Attendees1X}|, {Attendees1X}| and {Attendees1X}}.

≡THE PAYOFF≡

A series and linked answer in the Questionnaire are used to populate two distinct Sublists in the finished document.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
Attendees	List all the attendees.	Judith Flambe Orson Coot Roger Beeman Hana Lorang Inez Pierce
Officers	For the attendees who are officers, choose an office.	Judith Flambe: President Orson Coot: [??] Roger Beeman: [??] Hana Lorang: Secretary Inez Pierce: Treasurer



MEETING MINUTES	
Officers who attended the meeting were Judith Flambe, Hana Lorang, and Inez Pierce. Also present were Orson Coot and Roger Beeman.	

Grids and Lists

Grids are often used as a source for Lists. Each Grid is composed of a series answer in the first column (used to create the List structure), and linked series answers in the secondary columns (each of which can be incorporated when customizing the List).






Lesson 12: List with a Grid

- Grid (page 14)
- Dropdown answer (page 9)
- List (page 49)
- Number Field (page 16)
- Condition (page 32)
- Sublist (page 67)
- First item Field (page 63)

This form gathers info with a Grid, then translates it to a narrative structure.

1

Create the Questionnaire

- Type or copy/paste this text into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown
- Click  **Questionnaire**,  **Grid**,  **Add**, and choose **4** columns
- Fill in the Grid and its instructions as shown

a

Estimate for Smith Residence

Overview: Rodents were found in three rooms. Termites were found in one room.

Plan: Deploy rat traps (\$60). Spray pesticide (\$150).

Equipment Deposit: An additional deposit of \$60 is required and will be refunded when the traps are retrieved.

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Client's last name?	


c

Describe the pests and proposed action:

Pest	Rooms	Action	Cost
Type of pest	# of rooms	Proposed action	Price quote


2

Create a Smart Answer

- Put the cursor anywhere in the third column of the Grid and click  **Smart Answer**.
- Click the **Dropdown** answer type
- Select the **typed here** source
- Type the choices **Pesticide fogger**, **Spread poison**, and **Deploy traps** (each on a separate line) and click **OK**


Pest	Rooms	Action	Cost
Type of pest	# of rooms	Proposed action	Price quote

When a Smart Answer is applied to a Grid, it applies to a whole column. So this dropdown answer will appear in the third column for each answer row.



3

Add a Field


- Select **Smith** and click  **Field**
- Select the **Client** answer and click **OK**

Estimate for Smith Residence

Overview: Rodents were found in three rooms. Termites were found in one room.

Plan: Deploy rat traps (\$60). Spray pesticide (\$150).

Equipment Deposit: An additional deposit of \$60 is required and will be refunded when the traps are retrieved.



4

Add the first List

- a Select these two sentences and click **List**
- b Select the **Pest** answer
- c Select the **[repeating paragraphs]** appearance and click **OK**

a mate for **{Client}** Residence

Overview: Rodents were found in three rooms.
Termites were found in one room.

Plan: Deploy rat traps (\$60). Spray pesticide (\$150).

Equipment Deposit: An additional deposit of \$60 is required and will be refunded when the traps are retrieved.

This custom List consists of repeating sentences. The closest match among the appearance choices is **[repeating paragraphs]**, so we'll use that as a starting point.

5

Customize the first List

- a Delete **Sample paragraph about**
- b Type **were found in ___ rooms** after **{Pest1X}**
- c Replace the hard return with a space

Before

Overview: {List1}:Sample paragraph about {Pest1X}.
||[ditto]||[ditto]


After

Overview: {List1}:{Pest1X} were found in ___ rooms. ||[ditto]||[ditto]

6

Add a Field to the first List


- Select the blank line and click **Field**
- Select the **Rooms** answer
- Select the **Current** item
- Select the **Nmbr** Field type
- Select the **one thousand** format and click **OK**



7

Add a Condition to the first List

- Select the **s** at the end of **rooms** and click **Condition**
- Select the **Rooms** answer
- Click **Item** and select the **Current** item in the List
- Select the condition **is more than 1** and click **OK**



8

Add the second List

- a Select these two sentences and click **List**
- b Select the **Pest** answer
- c Select the **[repeating paragraphs]** appearance and click **OK**

Estimate for {Client} Residence

Overview: {List 1}: {Pest 1X} were found in {Room
rooms}. {ditto} {ditto}

Plan: Deploy rat traps (\$60). Spray pesticide (\$150).

Equipment Deposit: An additional deposit of \$60 is required and will be refunded when the traps are retrieved.

This List will only use info from the **Action** and **Cost** columns of the Grid, but we still selected **Pest** when creating the List. That's because Lists are always based on the *primary* column (the leftmost column) in a Grid, even if info from that column is ultimately not used within the List.

9

Customize the second List

- a Replace **Sample paragraph about** with a blank line
- b Replace **{Pest 1X}** with **(\$__)**
- c Replace the hard return with a space

Before

Plan: {List 1}: Sample paragraph about {Pest 1X}.
{ditto} {ditto}


After

Plan: {List 1}: ____ (\$__). {ditto} {ditto}

10

Add Fields to the second List

- Select the first blank line and click **Field**
- Select the **Action** answer and **Current** item, and click **OK**
- Select the second blank line and click **Field**
- Select the **Cost** answer and **Nmbr** Field type and click **OK**




We want the final paragraph to appear in the finished document only if the form user has selected **Deploy** traps in the **Action** column of the Grid.

11

Add a Condition


- Select the last paragraph and click **Condition**
- Select the **Action** answer
- Click **Sublist** to include only some of the items in the answer
- Include items where the **{Action}** is **any of these: Deploy traps**
- Select the condition **contains more than 0 items** and click **OK**



Our final challenge is the **60** in the last paragraph. We need a Field that provides a particular number from the **Cost** column of the Grid. It has to be the number that appears in the same row as **Deploy traps**, but we don't know whether that will be the first row, last row, or somewhere in between. The solution is to use a Field that is smart enough to locate a particular item in the Grid.

12

A Field that pinpoints a particular Grid item

- Select **60** and click  **Field**
- Select the **Cost** answer
- Click **Item** to retrieve a particular item in the answer
- Select the **First** item in the **sublist** where the **{Action}** is **any of these: Deploy traps**
- Select the **Nmbr** Field type and click **OK**


Estimate for {Client} Residence



Overview: {List①:{Pest①X}} were found in {Rooms①X} room{if:s}. |[ditto] |[ditto]

Plan: {List①:{Action①X}} (\$ {Cost①X}). |[ditto] |[ditto]

{if {Cost①X} > \$60, then {Deploy traps} else {none of these}}

This Field will show a particular item in the **Cost** column. The item it selects will be the first item where **Deploy traps** has been selected in the **Action** column.



Before saving this form to be used by others, click  **Row/Column**,  **Show/Hide** to hide the first column of the Questionnaire and first row of the Grid. This hides material that could be confusing for the form user.

Before

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Client	Client's last name?	

Describe the pests and proposed action:



Pest	Rooms	Action	Cost
Type of pest	# of rooms	Proposed action	Price quote

After

TheFormTool (c) 2011-2016 Snapdone, Inc.	
Question	Answer
Client's last name?	

Describe the pests and proposed action:

Type of pest	# of rooms	Proposed action	Price quote

If you need to revise the form later, click  **Row/Column**,  **Show/Hide** again to reveal the hidden material.

== THE PAYOFF ==

A single Grid provides all the info needed to build two distinct Lists, decide whether a deposit is required, and determine a deposit amount based on particular item within the Grid.

Doxserá (c) 2011-2016 Snapdone,	
Question	Answer
Client's last name?	Barclay

Describe the pests and proposed action:

Type of pest	# of rooms	Proposed action	Price quote
Termites	3	Pesticide fogger	150



Estimate for Barclay Residence

Overview: Termites were found in three rooms.

Plan: Pesticide fogger (\$150).

Doxserá (c) 2011-2016 Snapdone,	
Question	Answer
Client's last name?	Channing

Describe the pests and proposed action:

Type of pest	# of rooms	Proposed action	Price quote
Ants	2	Spread poison	35
Rodents	1	Deploy traps	60



Estimate for Channing Residence

Overview: Ants were found in two rooms. Rodents were found in one room.

Plan: Spread poison (\$35). Deploy traps (\$60).

Equipment Deposit: An additional deposit of \$60 is required and will be refunded when the traps are retrieved.

Lists with Derived Series Answers

Every List is based on a series answer. That includes Text series (page 8), Dropdown series (page 9), Yes/No series (page 11), and Checkboxes (page 12). But don't forget that a Derived series of answers also works as the foundation of a List (page 14).



Lesson 13: Derived Series Answers

- Text series answer (page 8)
- Checkboxes answer (page 12)
- Text linked series answer (page 8)
- Derived series answer (page 14)

This form reconfigures several separate answers into new Lists.

1

Create the Questionnaire

- a** Type or copy/paste these paragraphs into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- b** Fill in the Questionnaire as shown

All family members: _____

All adult family members: _____

All family members who live in the same state as client: _____

a




b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
ClientName	Name of client	
SpouseName	Name of spouse	
ClientState	Client's state of residence	
ChildName	List the children	
ChildMinor	Which of the children are minors?	
ChildState	Each child's state of residence	
WholeFamily	(derived)	
AllAdults	(derived)	
SameState	(derived)	

We're assuming that the first six questions have already been determined by material elsewhere in the form. Now it's our job to create three Derived answers that reconfigure the info that's already been gathered.


2

Create Smart Answers

- a Put the cursor in the **ChildName** answer box and click  **Smart Answer**
- b Select **Series of text boxes** and click **OK**
- c Put the cursor in the **ChildMinor** answer box and click  **Smart Answer**
- d Click the **Checkboxes** answer type
- e Select the source **another answer**, **ChildName** and click **OK**
- f Put the cursor in the **ChildState** answer box and click  **Smart Answer**
- g Select **Series of text boxes**
- h Checkmark **Link to a preceding series answer or a Grid**
- i Select the **ChildName** answer and click **OK**

TheFormTool (c) 2011-2016 Snapstone, Inc.

Label	Question	Answer
ClientName	Name of client	
SpouseName	Name of spouse	
ClientState	Client's state of residence	
ChildName	List the children	
ChildMinor	Which children are minors?	
ChildState	Each child's state of residence	
WholeFamily	(derived)	
AllAdults	(derived)	
SameState	(derived)	



Example

Linked answers ask for more info about responses in a preceding Series answer. Responses in the preceding answer are used to identify each text box in the Linked answer.

Question	Answer
List the parties	Oil Parker
	Enid Lake
	Pat Cox
What's each party's birth date?	Oil Parker 4/17/1960
	Enid Lake 8/31/1989
	Pat Cox 3/17/1962


Note: Linked answers are "old technology". You will usually want to use newer Grid answers instead.

To create a Grid answer, place the cursor at the end of the form (below the Questionnaire) and click the Smart Answer button.

OK Cancel

3

Derived series of answers

- a Put the cursor in the **WholeFamily** answer box and click  **Smart Answer**
- b Click the **Derived** answer type
- c Select **Series, Answers**
- d Select the **ClientName** answer and click ➡ to add it to the series
 - Repeat **d** to add the **SpouseName** and **ChildName** answers to the series
- e Click **OK**

TheFormTool (c) 2011-2016 Snapdone, Inc.

Label	Question	Answer
ClientName	Name of client	
SpouseName	Name of spouse	
ClientState	Client's state of residence	
ChildName	List the children	[?] [?] [?]
ChildMinor	Which children are minors?	<input type="checkbox"/> [?]
ChildState	Each child's state of residence	[?]: [?]
WholeFamily	(derived)	
AllAdults	(derived)	
SameState	(derived)	

Smart Answer Dialog:

Choose answers to include in the derived series

ClientName

SpouseName



ChildName

OK Cancel

This answer takes the people from three separate answers and dumps them all into a single bucket so that we'll be able to create a List that includes all of them.


4

Derived series of answers with a filter

- a Put the cursor in the **AllAdults** answer box and click  **Smart Answer**
- b Click the **Derived** answer type
- c Select **Series, Answers**
- d Select the **ClientName** answer and click  to add it to the series
 - Repeat **d** to add the **SpouseName** and **ChildName** answers to the series
- e Select **ChildName** in the series
- f Click **Some items**
- g Choose to only include items where **{ChildMinor}** is unchecked, and click **OK**

TheFormTool (c) 2011-2016 Snapdone, Inc.

Label	Question	Answer
ClientName	Name of client	
SpouseName	Name of spouse	
ClientState	Client's state of residence	
ChildName	List the children	[?] [?] [?]
ChildMinor	Which children are minors?	<input type="checkbox"/> [?]
ChildState	Each child's state of residence	[?]: [?]
WholeFamily	(derived)	[?]
AllAdults	(derived)	
SameState	(derived)	



This answer tosses the client and spouse into the bucket, but only includes some of the children (only the adults).

5

Derived series of answers with a flexible filter

- Put the cursor in the **SameState** answer box and click **Smart Answer**
- Click the **Derived** answer type
- Select **Series, Answers**
- Select the **ClientName** answer and click to add it to the series
 - Repeat **d** to add the **SpouseName** and **ChildName** answers to the series
- Select **ChildName** in the series
- Click **Some items**
- Choose to only include items where **{ChildState}** is this text: **{ClientState}**

Label	Question	Answer
ClientName	Name of client	
SpouseName	Name of spouse	
ClientState	Client's state of residence	
ChildName	List the children	[??] [??] [??]
ChildMinor	Which children are minors?	<input type="checkbox"/> [??]
ChildState	Each child's state of residence	[?]: [?]
WholeFamily	(derived)	[??]
AllAdults	(derived)	[??]
SameState	(derived)	

6



Add the Lists

- Select the first blank line and click **List**
- Select the **WholeFamily** answer and click **OK**
- Repeat **a** and **b** to create a similar List with the **AllAdults** answer
- Repeat **a** and **b** to create a similar List with the **SameState** answer

All family members:

All adult family members:

All family members who live in the same state as client:

Before saving this form to be used by others, click  **Row/Column**,  **Show/Hide** to hide the Derived answers. Since they're processed automatically in the background, they would only confuse the form user if they were left visible.

== THE PAYOFF ==

Even when info is gathered in separate answers, it can be combined to produce cohesive Lists.

TheFormTool (c) 2011-2015 Snapdone, Inc.	
Question	Answer
Name of client	Jerome Purcell
Name of spouse	Ella Purcell
Client's state of residence	Oregon
List the children	Alan Purcell Betty Rawlings Carl Purcell Diane Purcell Ed Purcell
Which of the children are minors?	<input type="checkbox"/> Alan Purcell <input type="checkbox"/> Betty Rawlings <input checked="" type="checkbox"/> Carl Purcell <input checked="" type="checkbox"/> Diane Purcell <input type="checkbox"/> Ed Purcell
Each child's state of residence	Alan Purcell: Oregon Betty Rawlings: Texas Carl Purcell: Oregon Diane Purcell: Oregon Ed Purcell: Vermont



All family members: Jerome Purcell, Ella Purcell, Alan Purcell, Betty Rawlings, Carl Purcell, Diane Purcell and Ed Purcell

All adult family members: Jerome Purcell, Ella Purcell, Alan Purcell, Betty Rawlings and Ed Purcell

All family members who live in the same state as client: Jerome Purcell, Ella Purcell, Alan Purcell, Carl Purcell and Diane Purcell


Sorting Lists

When form users respond to a series question, the items may appear in any order. If the form author requires a particular order, the items can be sorted with a Derived series answer.

Sorting is controlled in the Smart Answer screen when creating a Derived series answer.

Click **Sort** to turn on sorting.

Click **ABC** for alphabetical sorting, **123** for numerical sorting (the items in the series must all be numbers), or **Date** for chronological sorting (the items in the series must all be dates). All three methods allow either ascending or descending order.



Lesson 14	Lesson 14	Lesson 14
<h2>Lesson 14: Sorting a List</h2> <ul style="list-style-type: none">• Text series answer (page 8)• Derived series answer (page 14)• Sort (page 84)		<p>This form sorts a series of names by last name.</p>

a The meeting was attended by _____.

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Attend	Who attended the meeting?	
AttendSort	(derived)	

The screenshot displays the TheFormTool interface. On the left, a table defines form fields:



Label	Question	Answer
Attend	Who attended the meeting?	
AttendSort	(derived)	

Two green callout bubbles are present: bubble 'a' points to the 'Answer' header, and bubble 'b' points to the empty 'Answer' cell for the 'Attend' question.

On the right, a configuration window titled 'Text' is open, showing options for 'Single text box', 'Series of text boxes', and 'With pronoun'. Below these options is an 'Example' section showing a form with a 'Question' column and an 'Answer' column. The 'Question' column contains 'List the names' and the 'Answer' column contains 'Gil Parker', 'Erin Lake', and 'Bob and Pat Coe'. A note states: 'Users can type a series of responses into a single answer.'


3

Create a sorted Derived series answer

- Put the cursor in the **AttendSort** answer box and click  **Smart Answer**
- Click the **Derived** answer type
- Select **Series, Answers**
- Select the **Attend** answer and click  to add it to the series
- Select **Sort**
- Select to sort **By last name A to Z** and click **OK**


TheFormTool (c) 2011-2016 Snapdome, Inc.


Label	Question	Answer
Attend	Who attended the meeting?	[?] [?] [?]
AttendSort	(derived)	






4

Add a List

- Select the blank line and click  **List**
- Select the **AttendSort** answer and click **OK**

The meeting was attended by .



Before saving this form to be used by others, click  **Row/Column**,  **Show/Hide** to hide the Derived answer. Since it's processed automatically in the background, it would only confuse the form user if it were left visible.

Lesson 14
Lesson 14
Lesson 14

== THE PAYOFF ==

As form author, you control the order of items in a List.

Question	Answer
Who attended the meeting?	Mr. John Doe Jane X. Smith Dr. Ellen Blake Fred Grant Esq. Sir Perry Reginald Bishop III

➔

The meeting was attended by Sir Perry Reginald Bishop III, Dr. Ellen Blake, Mr. John Doe, Fred Grant Esq. and Jane X. Smith.

Lesson 14
Lesson 14
Lesson 14

Math




The **FormTool** includes math functions to perform calculations automatically. For example, given a series of shareholders and the number of shares held by each, the form could calculate the total number of outstanding shares and the percentage of the company owned by each shareholder.

Adding Math to a Field


Number and Count Fields

Begin by creating a Number field (page 16) or a Count Field (page 31). Then click **Math** to open the Math screen.



Date Fields

Begin by creating a Date field (page 16). Then click **Function** to open the Math screen.




The Math Screen


Formula. Build your math formula here. The formula can be as simple as **1 + 2** or might contain functions within functions within functions.

Function. Functions perform special math duties, like **Days** to count the number of days between two dates, or **Round** to round off a number. To add a function to the formula, select it from the dropdown menu and click **+**.

Keypad. Click these buttons to add numbers and operators (plus, minus, etc.) to the formula. You may also type numbers and symbols on your keyboard. Use ***** for multiplication and **/** for division.



Help. This area describes the currently selected function and gives pointers on its use.

Unlock. Click  to turn on freeform editing mode. Expert users may find this mode more convenient so they can type the formula directly (or copy and paste from another source) rather than selecting functions from a menu.

What's with all the curly braces? You may have noticed that math formulae contain lots of curly braces: { }. They show where each math function begins and ends. But you don't need to worry about typing the curly braces – they are automatically included each time you add a function to the formula.

Lesson 15

Lesson 15

Lesson 15

Lesson 15: Math Fields

- Number Field (page 16)
- Math (page 87)
- Field function (page 99)
- Payment function (page 103)

This form calculates monthly loan payments.



1

Create the Questionnaire

a

Type or copy/paste this sentence into a blank document

•

Click  **Questionnaire**,  **Create** to add a Questionnaire

b

Fill in the Questionnaire as shown

The loan amount is \$____, to be paid in ____ monthly payments of \$____ each.

a

TheFormTool (c) 2011-2016 Snapdone, Inc.

Label	Question	Answer
Amount	Amount of loan?	
Rate	Annual Interest rate?	
Term	How many years long is the loan term?	

b

TheFormTool PRO - Expert Guide (Version 3.1)

Page 88

2

Add a basic Field

- a Select the first blank line and click **Field**
- b Select the **Amount** answer
- c Select the **Nmbr** Field type and click **OK**

The loan amount is \$ to be paid in ____ monthly payments of \$ each.

3

Add a simple math Field

- a Select the next blank line and click **Field**
- b Select the **Term** answer
- c Select the **Nmbr** Field type
- d Click **Math** to open the Math screen
- e Type ***12** at the end of the formula (the asterisk means multiply), then click **OK** to close the Math screen and **OK** again to close the Field screen

The loan amount is \${Amount}, to be paid in monthly payments of \$ each.

Before

After

This math Field multiplies the response to the Term question by 12.

4

Add a math Field that uses the Payment function

- Select the last blank line and click **Field**
 - Select the **Term** answer
 - Select the **Nmbr** Field type
 - Select the **1,000.10 (exactly 2 decimals)** format
 - Click **Math** to open the Math screen
 - Delete the function **{Field: Term}** to start with a clean slate
 - Select the **Payment** function and click **+** to add it to the formula
- Don't close this screen yet — more to come in the next step

The loan amount is \$**{Amount}**, to be paid in **{###}** monthly payments of \$ each.


The screenshot shows the 'Payment' function being added to the formula. The formula bar displays '{Field: Term}'. The 'Payment' function is selected from the dropdown menu. The 'Math' screen is open, showing the 'Payment' function and its arguments. The 'Term' field is highlighted in the 'Questionnaire' list. The 'Format' dropdown is set to '1,000.10 (exactly 2 decimals)'. The 'Custom' format is also shown as '###,###,###,##0.00'. The 'Info' button is visible at the bottom right of the 'Math' screen.

Most math functions require some additional info. The tip in the lower part of the screen tells us the Payment function requires three numbers separated by commas: loan amount, periodic interest rate, and the number of periods in the term of the loan. Those numbers can either be typed directly into the formula or they can be represented with other functions. In this form, we'll use a Field function to provide each of the three numbers the Payment function requires.

5

Add three functions within the Payment function

- Start with the cursor inside the Payment function where the loan amount is required
- Select the **Field** function, the **Amount** Field, and click **+** to add it to the formula
- Click the comma button (or type a comma with your keyboard)
- Select the **Rate** Field and click **+** to add it to the formula
- Type **/12** to divide the annual rate into the monthly rate required by the Payment function
- Click the comma button (or type a comma with your keyboard)
- Select the **Term** Field and click **+** to add it to the formula
- Type ***12** to convert the **Term** response to a number of months, then click **OK** to close the Math screen and **OK** again to close the Field screen



== THE PAYOFF ==

When the form user supplies loan amount, annual interest rate, and loan term, the number of payments and monthly payment are calculated automatically.


TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Amount	Amount of loan?	150,000
Rate	Annual interest rate?	4.5
Term	How many years long is the loan term?	20




The loan amount is \$150,000, to be paid in 240 monthly payments of \$948.97 each.

The Math Tab

After a formula is created in the Math screen, it appears here on the Math tab (or the Function tab for Date Fields).

Click  to return to the Math screen if more editing is needed.

The **Abbreviate** checkbox has no effect on finished documents, but improves form readability by displaying **{###}** instead of the full formula.



Math Functions

Math mavens read on for a complete catalog of TheFormTool math functions. (Those of us who napped through Algebra might want to skip this bit.)

Add, Subtract, Multiply, Divide

Symbols for basic math are just as you expect:

- + Addition. For example: **5 + 2 = 7**
- Subtraction. For example: **5 - 2 = 3**
- * Multiplication. For example: **5 * 2 = 10**
- / Division. For example: **5 / 2 = 2.5**
- () Parentheses control the order of operations. For example: **(1 + 2) * 3 = 9**, but **1 + (2 * 3) = 7**

Dates are not numbers. You might be tempted to use addition and subtraction to calculate date offsets, but don't. The result would be a "MATH ERROR" message. Instead, use Date Offsets (page 16), which are waaaaay more flexible than addition and subtraction.

Absolute

The **Absolute** function gives the absolute value of a number, turning negative numbers into positive numbers. For example, **{Absolute: -3.8} = 3.8**. Other functions may be nested within this one. For example, if the Questionnaire asks for PriceA and PriceB, the difference between the two prices is **{Absolute: {Field: PriceA} - {Field: PriceB}}**.

In the Formula	Plain English
{Absolute: <i>number</i>}	The absolute value of a number

Age

Given a person's birthdate, the **Age** function gives their age on a particular date. *Note that the age depends on whether or not the birthday has already occurred in the target year.* For example, **{Age: 4/17/2000, 4/17/2010}** = 10 because the birthday has occurred in 2010; while **{Age: 4/17/2000, 4/16/2010}** = 9 because the birthday has not yet occurred in 2010. The **Field** function (if it refers to a date answer) and other date functions (**FirstDate**, **LastDate**, **ListFirstDate**, **ListLastDate**, **Now**) may be nested within this one. The **Age** function is often used to calculate a person's age on the date when the form is used, with a formula like this: **{Age: {Field: DOB}, {Now}}**.

In the Formula
{Age: date1, date2}

Plain English

Someone born on Date1 is this old on Date2

Lesson 16

Lesson 16

Lesson 16

Lesson 16:



Dates, Math, and Derived Answers

- Freeform Derived answer (page 13)
- Number Field (page 16)
- Math (page 87)
- Age function (page 93)
- Field function (page 99)
- Now function (page 103)
- A/An Condition (page 46)

Given a birthdate, this form determines age and minor/adult status.

1

Create the Questionnaire

- a Type or copy/paste this sentence into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- b Fill in the Questionnaire as shown

The beneficiary is a minor/adult, age ____.


a

b

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
DOB	What's the beneficiary's birthdate?	
Age	(derived)	

2

Create Derived answer



- Put the cursor in the **Age** answer box and click  **Smart Answer**
- Click the **Derived** answer type and click **OK**

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
DOB	What's the beneficiary's birthdate?	
Age	(derived)	






3

Add a Field with Age function

- Put the cursor in the **Age** answer box and click  **Field**
- Select the **DOB** answer
- Select the **Nmbr** Field type
- Click **Math** to open the Math screen
- Delete the **{Field: DOB}** function to start with a clean slate
- Select the **Age** function and click  to add it to the formula
- Don't close this screen yet — more to come in the next step

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
DOB	What's the beneficiary's birthdate?	
Age	(derived)	






The **Age** function uses a birthdate to calculate a person's age on a target date. The birthdate will be provided with a **Field** function, and the target date will be **Now** (the day the form is used).

4

Add two functions within the Age function


- Put the cursor inside the **Age** function where the birthdate is required
- Select the **Field** function and **DOB** Field, and click **+** to add it to the formula
- Click the comma button (or type a comma with your keyboard)
- Select the **Now** function and click **+** to add it to the formula, then click **OK** to close the Math screen and **OK** again to close the Field screen



5

Add a Field to the Form


- Select the blank line and click **Field**
- Select the **Age** answer and click **OK**



6

Add opposing Conditions to the Form

- Select **minor** and click **Condition**
- Select the **Age** answer
- Select the condition **is less than 18** and click **OK**
- Delete the slash
- Select **adult** and click **Condition**
- Select the **Age** answer
- Select the condition **is more than 17** and click **OK**



One more challenge remains in this surprisingly recalcitrant sentence, though it's an obscure one.


The beneficiary is a {if:minor}{if:adult}, age {Age}.

When the beneficiary is a minor, **a** is fine. But when the beneficiary is an adult, **a** should change to **an**.

7

A/An Condition

- Select the **a** and click **Condition**
- Click **Yes**
- Select **a/an** and click **Done**



Before saving this form to be used by others, click **Row/Column**, **Show/Hide** to hide the Derived answer. Since it's processed automatically in the background, it would only confuse the form user if it were left visible.

Lesson 16
Lesson 16
Lesson 16

== THE PAYOFF ==

The date of birth only needs to be entered once. When it is used in forms today, next month, and next year, the age and adult/minor designation will always be correct.

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
DOB	What's the beneficiary's birthdate?	8/31/2013

➔

The beneficiary is a minor, age 2.

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
DOB	What's the beneficiary's birthdate?	8/31/1990

➔

The beneficiary is an adult, age 25.

Lesson 16
Lesson 16
Lesson 16

Constant

The **Constant** function gives one of two math constants (*e* or *pi*), accurate to the 14th decimal place.

In the Formula	Plain English
{Constant: name}	A mathematical constant

Days

The **Days** function gives the number of days between two dates. For example, **{Days: 1/31/2011, 2/3/2011}** = 3. Dates should use month/day/year format; both two-digit and four-digit years are allowed. If date1 is the same as date2, the result is zero. If date2 is earlier than date1, the result is a negative number. The **Field** function (if it refers to a date answer) and other date functions (**FirstDate**, **LastDate**, **Now**, and others) may be nested within this one. For example, if the Questionnaire asks for a ClosingDate, then **{Days: {Now}, {Field: ClosingDate}}** gives the number of days between the closing date and the date on which the form is used. (This will be a negative number if the closing date precedes the date when the form is used.)

In the Formula	Plain English
{Days: date1, date2}	The number of days between two dates

DerivedCount

The **DerivedCount** function is only available if the Questionnaire contains a Derived answer. It gives the number items in a Derived answer. Items must be separated by hard returns (each item on a separate line).

In the Formula	Plain English
{DerivedCount: label}	Count the number of items in a Derived answer

DerivedFirstDate

The **DerivedFirstDate** function is only available if the Questionnaire contains a Derived answer. It gives the earliest date in a Derived answer. Dates must be separated by hard returns (each date on a separate line).

In the Formula	Plain English
{DerivedFirstDate: <i>label</i> }	The earliest date in a Derived answer

DerivedLastDate

The **DerivedLastDate** function is only available if the Questionnaire contains a Derived answer. It gives the latest date in a Derived answer. Dates must be separated by hard returns (each date on a separate line).

In the Formula	Plain English
{DerivedLastDate: <i>label</i> }	The latest date in a Derived answer

DerivedMax

The **DerivedMax** function is only available if the Questionnaire contains a Derived answer. It gives the largest number in a Derived answer. Numbers must be separated by hard returns (each number on a separate line).

In the Formula	Plain English
{DerivedMax: <i>label</i> }	The biggest number in a Derived answer

DerivedMin

The **DerivedMin** function is only available if the Questionnaire contains a Derived answer. It gives the smallest number in a Derived answer. Numbers must be separated by hard returns (each number on a separate line).

In the Formula	Plain English
{DerivedMin: <i>label</i> }	The smallest number in a Derived answer

DerivedMultiply

The **DerivedMultiply** function is only available if the Questionnaire contains a Derived answer. It gives the product of all numbers in a Derived answer multiplied together. Numbers must be separated by hard returns (each number on a separate line).

In the Formula	Plain English
{DerivedMultiply: <i>label</i> }	Multiply all the numbers in a Derived answer together

DerivedSum

The **DerivedSum** function is only available if the Questionnaire contains a Derived answer. It gives the sum of all numbers in a Derived answer added together. Numbers must be separated by hard returns (each number on a separate line).

In the Formula	Plain English
{DerivedSum: label}	Add all the numbers in a Derived answer together

Field

The **Field** function gives an answer from the Questionnaire. If the answer is non-numeric (for example, if someone types **five dollars** as the answer to your **Price** question), a **MATH ERROR** message appears.

After selecting **Field** in the first box, select a particular Field name in the second box.

The Field function gives an answer from the Questionnaire. If the answer is non-numeric, it gives a 'MATH ERROR' message.

(c) 2011-2016 Snapdone, Inc.

For example, if the Questionnaire includes a question labeled **Price**, then sales tax could be computed with this formula (assuming the sales tax is 9%).

The Field function gives an answer from the Questionnaire. If the answer is non-numeric, it gives a 'MATH ERROR' message.

(c) 2011-2016 Snapdone, Inc.

Additional controls appear when needed. In the example shown here:

The **State** Field is selected.

The State answer is a dropdown that uses a Master List (page 119) as its source, and the Master List includes a column labeled **TaxRate**.

The Field appears within a List, and the **Current** item in the list is selected (page 63).

The Field is in List Layer 1 (page 54).

The Field function gives an answer from the Questionnaire. If the answer is non-numeric, it gives a 'MATH ERROR' message.

(c) 2011-2016 Snapdone, Inc.

In the Formula	Plain English
{Field: label}	The answer to a question in the Questionnaire

FirstDate

The **FirstDate** function gives the earliest of a series of dates, ignoring items that are not dates. For example, **{FirstDate: 5/5/2011, 3/15/2011, 2/20/2012}** = 3/15/2011. The **Field** function (if it refers to a date answer) and other date functions (**FirstDate**, **LastDate**, **ListFirstDate**, **ListLastDate**, **Now**) may be nested within this one. For example, if today's date is 3/12/2017 and the CommencementDate in the Questionnaire is 4/1/2017, then **{FirstDate: {Now}, {Field: CommencementDate}, 3/15/2017}** = 3/12/2017.

In the Formula	Plain English
{FirstDate: date1, date2, ... dateX}	The earliest of these dates

Integer

The **Integer** function gives the integer portion of a number, truncating any decimal portion. For example, **{Integer: 3.84}** = 3. Other functions may be nested within this one. For example, if the Questionnaire asks for an EggCount, the form can compute the number of 3-egg omelets with **{Integer: {Field: EggCount} / 3}**.

In the Formula	Plain English
{Integer: number}	Convert a number to an integer, ignoring any fractional portion

LastDate


The **LastDate** function gives the latest of a series of dates, ignoring items that are not dates. For example, **{LastDate: 5/5/2011, 2/20/2012, 3/15/2011}** = 2/20/2012. The **Field** function (if it refers to a date answer) and other date functions (**FirstDate**, **LastDate**, **ListFirstDate**, **ListLastDate**, **Now**) may be nested within this one. For example, if today's date is 3/12/2017 and the CommencementDate in the Questionnaire is 4/1/2017, then **{LastDate: {Now}, {Field: CommencementDate}, 3/15/2017}** = 4/1/2017.

In the Formula	Plain English
{LastDate: date1, date2, ... dateX}	The latest of these dates

ListCount

The **ListCount** function is only available if the Questionnaire contains a series answer. It gives the number of items in a series answer, not counting any items that are blank. If all items are blank, the result is zero.

When one of the List functions is selected (**ListCount**, **ListFirstDate**, **ListItem#**, **ListLastDate**, **ListMax**, **ListMin**, **ListMultiply**, **ListSum**), choose a particular series answer in the second box.



In the Formula	Plain English
{ListCount: label}	Count the number of items in a series answer

ListFirstDate

The **ListFirstDate** function is only available if the Questionnaire contains a series answer. It gives the earliest date in a series answer, ignoring items that are not dates. If none of the items in the series is a date, an **ERROR - DATE FORMAT** message appears.


In the Formula	Plain English
{ListFirstDate: label}	The earliest date in a series answer

ListItem#

The **ListItem#** function is only available when creating a Field within a List. It gives the sequential position of a List item, not counting blank items.

Use **X** for the position of the current item; **P** for the previous item; **N** for the next item; and **L** for the last item in the List.

For example, if a series answer in the Questionnaire contains 5 non-blank items, **{ListItem#: L} = 5**.



In the Formula	Plain English
{ListItem#: item}	The position of an item in a series answer

ListLastDate

The **ListLastDate** function is only available if the Questionnaire contains a series answer. It gives the latest date in a series answer, ignoring items that are not dates. If none of the items in the series is a date, an **ERROR - DATE FORMAT** message appears.

In the Formula	Plain English
{ListLastDate: label}	The latest date in a series answer

ListMax

The **ListMax** function is only available if the Questionnaire contains a series answer. It gives the largest number in a series answer, ignoring items that are blank or non-numeric. If none of the items in the series is a number, a **MATH ERROR** message appears.

In the Formula	Plain English
{ListMax: label}	The biggest number in a series answer

ListMin

The **ListMin** function is only available if the Questionnaire contains a series answer. It gives the smallest number in a series answer, ignoring items that are blank or non-numeric. If none of the items in the series is a number, a **MATH ERROR** message appears.

In the Formula	Plain English
{ListMin: label}	The smallest number in a series answer

ListMultiply

The **ListMultiply** function is only available if the Questionnaire contains a series answer. It gives the product of all numbers in a series multiplied together, ignoring items that are blank or non-numeric. If none of the items in the series is a number, a **MATH ERROR** message appears.

In the Formula	Plain English
{ListMultiply: <i>label</i> }	Multiply all the numbers in a series answer together

ListSum

The **ListSum** function is only available if the Questionnaire contains a series answer. It gives the sum of all numbers in a series added together, ignoring items that are blank or non-numeric. If none of the items in the series is a number, a **MATH ERROR** message appears.

In the Formula	Plain English
{ListSum: <i>label</i> }	Add all the numbers in a series answer together

Logarithm

The **Logarithm** function gives the base n logarithm of a number. For example, {Logarithm: 10, 100} gives the base 10 logarithm of 100. Other functions may be nested within this one. To calculate natural logarithms, use the {Constant: e} function as the base number. For example, the natural logarithm of 100 is {Logarithm: {Constant: e}, 100}.

In the Formula	Not-So-Plain English
{Logarithm: n , <i>number</i> }	The base n logarithm of a number

Maximum

The **Maximum** function gives the largest of a series of numbers. For example, {Maximum: 5, 10, 3} = 10. Other functions may be nested within this one. For example, if the Questionnaire asks for Income and two possible tax rates – TaxRateA and TaxRateB – then the largest possible amount of tax owed is {Maximum: {Field: TaxRateA} * {Field: Income}, {Field: TaxRateB} * {Field: Income}}.

In the Formula	Plain English
{Maximum: <i>number1</i> , <i>number2</i> , ... <i>numberX</i> }	The biggest of these numbers

Minimum

The **Minimum** function gives the smallest of a series of numbers. For example, {Minimum: 5, 3, 10} = 3. Other functions may be nested within this one. For example, if the shipping and handling fee is 3% of the purchase price, but not to exceed \$7.50, use {Minimum: {Field: Price} * .03, 7.50}.

In the Formula	Plain English
{Minimum: <i>number1</i> , <i>number2</i> , ... <i>numberX</i> }	The smallest of these numbers

Months

The **Months** function gives the number of months between two dates. *This function counts transitions from month to month, not the number of elapsed days divided by 30.* For example, {Months: 1/31/2011, 3/3/2011} = 2. If both dates occur in the same month, the result is zero. If date2 is in an earlier month than date1, the result is a negative number. The **Field** function (if it refers to a date answer) and other

date functions (**FirstDate**, **LastDate**, **ListFirstDate**, **ListLastDate**, **Now**) may be nested within this one. For example, if the Questionnaire asks for a **ClosingDate**, then **{Months: {Now}, {Field: ClosingDate}}** gives the number of months between the closing date and the date on which the form is used. (This will be a negative number if the closing date precedes the date when the form is used.)

In the Formula	Plain English
{Months: <i>date1</i>, <i>date2</i>}	The number of months between two dates

Now

The **Now** function gives the date when the form is filled in. It may be used by itself or inside a date function: **Days**, **Months**, **Years**, **FirstDate**, **LastDate**.

In the Formula	Plain English
{Now}	The date when the form is filled in

Payment (PMT)

The **Payment** function gives the periodic payment on a self-amortizing loan, assuming 360-day years, interest compounded periodically, payment in arrears. For example, **{Payment: 1000, 5 / 12, 120}** gives the monthly payment on a \$1,000 loan with a 5% annual rate of interest and a 120-month term. Other functions may be nested within this one. For example, if the Questionnaire asks for **LoanAmount**, **AnnualRate**, and **MonthsInTerm**, then the monthly payment could be computed as **{Payment: {Field: LoanAmount}, {Field: AnnualRate} / 12, {Field: MonthsInTerm}}**.

In the Formula	Plain English
{Payment: <i>amount</i>, <i>rate</i>, <i>term</i>}	Calculates the periodic payment amount when given the loan amount, interest rate per period, and number of periods in the loan term

RaiseToPower (exponentiation)

The **RaiseToPower** function performs exponentiation, multiplying a number by itself a number of times. For example, **{RaiseToPower: 8, 3}** = 512, because $8 \times 8 \times 8 = 512$. Other functions may be nested within this one. For example, if the Questionnaire asks for the Length of a square plot of land, the acreage equals the Length squared: **{RaiseToPower: {Field: Length}, 2}**.

In the Formula	Plain English
{RaiseToPower: <i>number</i>, <i>exponent</i>}	Multiply a number by itself a number of times

Remainder (modulo)

The **Remainder** function gives the remainder value after division. For example, **{Remainder: 10, 3}** = 1, because 10 divided by 3 leaves a remainder of 1. Other functions may be nested within this one. For example, if the Questionnaire asks for a List of People to be split into 4 equal groups, the number of leftover people is **{Remainder: {ListCount: People}, 4}**.

In the Formula	Plain English
{Remainder: <i>dividend</i>, <i>divisor</i>}	The remainder that's left over after dividing a number by another number

Root

The **Root** function gives the n th root of a number (square root is 2nd root; cube root is 3rd root, etc.). For example, the square root of 9 is **{Root: 2, 9}**; and the cube root of 125 is **{Root: 3, 125}**. Other functions may be nested within this one. For example, according to the Pythagorean Theorem, if the Questionnaire asks for the lengths of Leg1 and Leg2 of a right triangle, then the length of the hypotenuse is **{Root: 2, {RaiseToPower: {Field: Leg1}, 2} + {RaiseToPower: {Field: Leg2}, 2}}**.

In the Formula	Not-So-Plain English
{Root: n, number}	The n th root of a number

Round

The **Round** function rounds a number to the nearest integer. Halves are rounded up. For example, **{Round: 5.4}** = 5; and **{Round: 5.5}** = 6. Other functions may be nested within this one. For example, if the Questionnaire asks for a List of SharesHeld by each shareholder, then the average number of shares held by each shareholder is approximately **{Round: {ListSum: SharesHeld} / {ListCount: SharesHeld}}**.

In the Formula	Plain English
{Round: number}	Round off a number

Years

The **Years** function gives the number of years between two dates. *This function counts transitions from year to year, not the number of elapsed days divided by 365.* For example, **{Years: 12/31/2010, 1/1/2012}** = 2. If date1 is in the same year as date2, the result is zero. If date2 is in an earlier year than date1, the result is a negative number. The **Field** function (if it refers to a date answer) and other date functions (**FirstDate**, **LastDate**, **ListFirstDate**, **ListLastDate**, **Now**) may be nested within this one.

In the Formula	Plain English
{Years: date1, date2}	The number of years between two dates

Math in Lists

Among the subjects included in the everything-but-the-kitchen-sink lesson below, see how item Fields become important when using Math within Lists.

Lesson 17: List in Table Format, Master List, and Math

- Master List (page 119)
- Dropdown series answer (page 9)
- List formatted as table (page 50)
- Date Field (page 16)
- Number Field (page 16)
- Math (page 87)
- Field function (page 99)

This form asks just one question to produce a neatly tabulated invoice.

We'll create a form that produces finished documents like this:



Thank you for registering for the following classes:

Class	Date	Tuition	Tax	Total
Basic Personhood	3/3/2012	125	11.00	136.00
Advanced Humanity	3/17/2012	200	17.60	217.60
TOTAL:				\$353.60

Payment is due one week before the class date.

1

Create the Questionnaire

- a Type or copy/paste this text into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- b Fill in the Questionnaire as shown

Thank you for registering for the following classes:

Payment is due one week before the class date.

a




b


TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Classes	List the classes registered	

Rather than make the form user type a lot of dates and tuition fees, we'll create a Master List of classes that can be maintained and updated in one place, and used by this form and other forms too.

2



Create a Master List


- Click  **Sources**,  **Master Lists** to open the Master Lists screen
- Click  to create a new Master List
- Type the name **ClassInfo** and click **OK**
- Type **3** columns and click **OK** to open the Master List editing document



3


Fill in the Master List

- Fill in the Master List as shown (to add a new row, press **Tab** when the cursor is in the last cell)
- Click  **Sources**,  **Master Lists** to return to the Master Lists screen
- Click **Save and Close**



4

Create a Smart Answer

- Put the cursor in the **Classes** answer box and click  **Smart Answer**
- Click the **Dropdown** answer type
- Select **Series of dropdowns**
- Select the source **Master List, ClassInfo** and click **OK**

TheFormTool (c) 2011-2016 Snapdone, Inc.

Label	Question	Answer
Classes	List the classes registered	

Because this is a series answer (**Series of dropdowns**), the form user will be able to select several classes in response to this one question.

Dropdown configuration dialog:

Text | **Dropdown** | Yes/No | Checkboxes | Derived

☒ Single dropdown ☒ **Series of dropdowns** ☐ Link to a preceding Series answer or a Grid

Source for dropdown choices: Master List | ClassInfo

☐ Allow user to write their own response

Example:

Several dropdown boxes are included in a single answer, so users can give a series of responses to the question. Each dropdown box contains the same set of choices.

Question	Answer
Choose region(s) in order of priority	North South East


Users cannot type their own response -- they must choose one in the dropdown list.

Choices shown in the dropdown are items in the left column of a Master List.

OK Cancel

5

Add a List

- Put the cursor between the two paragraphs and click  **List**
- Select the **Classes** answer
- Select the **[table format]** appearance
- Select **5** columns
- Checkmark **One item per row, Lines, Headings in first row, and Totals in last row**, then click **OK**

a Thank you for registering for the following classes.

b Payment is due one week before the class date.

Dozerá - List

Questionnaire | ab

Classes

Appearance

[table format]

Columns: 5

☒ One item per row ☒ Lines ☒ Headings in first row ☒ Totals in last row

List | Sublist

Include all items in the list

Preview

Heading1	Heading2	...	Heading5
Item1
Item2
Item3
TOTAL:	#	...	#

☒ Blank line

OK Cancel

(c) 2011-2016 Snapdone, Inc.

6

Customize the List

- a** Replace the placeholder headings with **Class**, **Date**, **Tuition**, **Tax**, and **Total**
- b** Delete the **0** field from columns 2, 3, and 4

 Before

Thank you for registering for the following classes:

Heading1	Heading2	Heading3	Heading4	Heading5
{List1:{Classes:Name1X}}				
{Classes:Name1X}				
{Classes:Name1X}				
TOTAL:	0	0	0	0

Payment is due one week before the class date.

 After

Thank you for registering for the following classes:

Class	Date	Tuition	Tax	Total
{List1:{Classes:Name1X}}				
{Classes:Name1X}				
{Classes:Name1X}				
TOTAL:				0

Payment is due one week before the class date.


Remember that every List has 3 clauses (page 50). The same is true for Lists that are formatted as tables, with each clause occupying a row:

	Class	Date	Tuition	Tax	Total	
First →	{List1:{Classes:Name1X}}					← First
Middle →	{Classes:Name1X}					← Middle
Last →	{Classes:Name1X}					← Last
	TOTAL:				0	


When we add info to the first clause, if we want that info to appear for each item in the List, we'll have to add it to the middle clause and last clause too.

7

Add a date Field in the first clause

- Put the cursor in the first cell under the **Date** heading and click  **Field**
- Select the **Classes** answer
- Select the **Current** item
- Select the **Date** Field type
- Select the **Date** column of the Master List
- Select the **5/1/2010** format and click **OK**

Class	Date	Tuition	Tax	Total
{List1:{Classes:Name1X}}				
{Classes:Name1X}				
{Classes:Name1X}				
TOTAL:				



8

Copy the date Field to the middle and last clauses

- Select the **{Classes:Date1X}** Field and copy with **Ctrl+C**
- Use **Ctrl+V** to paste the Field into the middle clause and last clause

Class	Date	Tuition	Tax	Total
{List1:{Classes:Name1X}}	{Classes:Date1X}			
{Classes:Name1X}				
{Classes:Name1X}				
TOTAL:				0

9

Add a number Field

- a Put the cursor in the first cell under the **Tuition** heading and click **Field**
- b Select the **Classes** answer
- c Select the **Current** item
- d Select the **Number** Field type
- e Select the **Cost** column of the Master List
- f Select the **1,000.10 (exactly 2 decimals)** format and click **OK**
- g As in Step 8 above, copy and paste the Field from the first clause to the middle and last clauses

Class	Date	Tuition
{List1:{Classes:Name1X}}	{Classes:Date1X}	
{Classes:Name1X}	{Classes:Date1X}	
{Classes:Name1X}	{Classes:Date1X}	
TOTAL:		

10


Add a math Field

- a Put the cursor in the first cell under the **Tax** heading and click **Field**
- b Select the **Classes** answer
- c Select the **Current** item
- d Select the **Number** Field type
- e Select the **Cost** column of the Master List
- f Select the **1,000.10 (exactly 2 decimals)** format
- g click **Math** to open the Math screen

Class	Date	Tuition	Tax	TOTAL
{List1:{Classes:Name1X}}	{Classes:Date1X}	{Classes:Cost1X}		
{Classes:Name1X}	{Classes:Date1X}	{Classes:Cost1X}		
{Classes:Name1X}	{Classes:Date1X}	{Classes:Cost1X}		
TOTAL:				

11 Create a formula

- Put the cursor at the end of the formula and type ***.088**, then click **OK** to close the Math screen and **OK** again to close the Field screen
- As in Step 8 above, copy and paste the **{###}** Field from the first clause to the middle and last clauses



	Date	Tuition	Tax	Total
{List 1: {Classes: Name 1X}}	{Classes: Date 1X}	{Classes: Cost 1X}	{###}	
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}		
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}		
TOTAL:				0

When creating math formulae, you can sometimes get a head start by copy/pasting an existing math Field and then modifying the formula. In the next step, we'll copy a Field that calculates tax, then modify the formula to calculate tax + tuition.



12 Create a second math Field and edit it


- Select the **{###}** Field and copy with **Ctrl+C**
- Put the cursor in the first cell under the **Total** heading and paste with **Ctrl+V**
- Put the cursor in the new **{###}** Field and click **Field** to edit it

Class	Date	Tuition	Tax	Total
{List 1: {Classes: Name 1X}}	{Classes: Date 1X}	{Classes: Cost 1X}	{###}	
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}		
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}		
TOTAL:				

Class	Date	Tuition	Tax	Total
{List 1: {Classes: Name 1X}}	{Classes: Date 1X}	{Classes: Cost 1X}	{###}	{###}
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}	{###}	
{Classes: Name 1X}	{Classes: Date 1X}	{Classes: Cost 1X}	{###}	
TOTAL:				0

13 Change the formula in the new math Field

- a Click **Math** to see the formula
- b Click  to open the Math screen
- c Type **+** at the end of the previous formula
- d Select the **Field** function
- e Select the **Classes** answer
- f Select the **Cost** column of the Master List
- g Select the **Current** item in the List
- h Click  to add the function to the formula, then click **OK** to close the Math screen and **OK** again to close the Field screen



14 Copy the new math Field to the middle and last clauses

- a As in Step 8 above, copy and paste the Field from the first clause to the middle and last clauses

Class	Date	Tuition	Tax	Total
{List1: {Classes: Name1X}}	{Classes: Date1X}	{Classes: Cost1X}	{###}	{###}
{Classes: Name1X}	{Classes: Date1X}	{Classes: Cost1X}	{###}	
{Classes: Name1X}	{Classes: Date1X}	{Classes: Cost1X}	{###}	
TOTAL:				0

One more item requires attention. The **0** in the last cell is a standard Word sum Field, so it needs to be formatted with the standard Word procedure: right-click on the Field, choose **Edit Field**, click **Formula**, and choose the number format **\$#,##0.00**.

== THE PAYOFF ==

The form user makes a couple quick choices, and additional info is drawn from the ClassInfo Master List and included in the resulting document, along with several math calculations.

TheFormTool (c) 2011-2015		
Label	Question	Answer
Classes	List the classes registered	Basic Personhood Advanced Humanity



Thank you for registering for the following classes:

Class	Date	Tuition	Tax	Total
Basic Personhood	3/3/2017	125	11.00	136.00
Advanced Humanity	3/17/2017	200	17.60	217.60
TOTAL:				\$353.60

Payment is due one week before the class date.


Attention Markers



Occasionally you will want to draw the form user's attention to a particular portion of the form – perhaps a lengthy section needs to be drafted from scratch.

Select the location in the document, click **Attn Mark**, and type a message if desired.

When the form is used, the cursor jumps to the marked location and your message (if any) is presented. If you have marked several spots for attention, the form user clicks **Attn** to visit each of them.



Using Smarter Forms

Answering Questions in the Questionnaire





Tabbing Is the Best!

When answering questions in the Questionnaire, press **Tab** to move from one answer to the next (**Shift+Tab** to move backwards). It's quicker than reaching for the mouse (quicker even than reaching for the arrow keys on your keyboard). And it has an additional enormous advantage when the Questionnaire contains Smart Answers: it moves your cursor exactly where needed to respond to the next question, skipping over any extraneous text and preselecting the entire answer for easy type-over replacement. Just tab 'n type!


Series Answers

Several buttons on **TheFormTool** tab make it easy to work with series answers (including Grids).


If the series answer doesn't contain enough empty boxes to hold your answer, click  **Add** to create more. (When working in one of these answers, a flag appears above the cursor, reminding you to **click Add button to add a row.**)

Click  **Remove** to remove an item from the series answer (or a whole row from a Grid).




Click  **Up** or  **Down** to rearrange items in the series answer.



Refresh Dropdowns and Checkboxes

Linked answers (page 8) draw their choices from previous answers. To update them with current choices, click  **Refresh**. (When working in one of these answers, a flag appears above the cursor, reminding you to **click Refresh to update choices.**)



Peeking

While typing answers, you may want to peek at the location(s) in the form where your answer will be used. Click  **Peek Next** to turn on a split-screen view showing where the current answer is used in the form. Click  **Peek Next** again to advance to the next spot where the same answer is used, or click  **Peek Off** when you're finished with the split-screen view.


Filling in the Form


 **Users**


Start

After opening a form, click  **Start** to move the cursor to the top of the Questionnaire, ready to start answering questions. This also updates any Smart Answers that use Master Lists (page 119) as their source. If the form is especially large and complicated and you don't want to wait, you can bypass the updating step by holding down **Shift** while clicking  **Start**.



Fill



After typing answers in the Questionnaire, click  **Fill** to move all of the answers up into the form, automatically formatting Fields properly, changing pronouns and singular/plural words, calculating date offsets and math, and including or excluding conditional text as appropriate.

After filling in the form, you may save it in its "filled" state indefinitely. At some later date, if a misspelling is discovered or other info changes, simply make the revision in the Questionnaire then click  **Fill** again to update the entire form.


If your form is exceptionally large (over 1,000 Fields, Lists, and Conditions), you qualify for Speedy Fill mode. After clicking  **Fill**, this screen appears, with three options:

Don't Refresh: This skips the Refresh step that ordinarily occurs at the beginning of the Fill process. That step attempts to fix any problems with answers in the Questionnaire. If you're comfortable that answers are entered correctly, then it's safe to use this option. If the Questionnaire contains a bajillion answers, this will save some time.



Don't Reset: This skips the Reset step that ordinarily occurs next in the Fill process. That step restores all Fields, Lists and Conditions to their original, pristine state, which is important if the form has been previously filled with  **Fill** or  **Blanks** (page 115). Use this option if you're certain the form has not already been filled in. If the form contains a ton of Fields, this will save some time.



Petrify: When this option is selected, the form is both Filled and Petrified, just as if you clicked  **Petrify** (page 115) immediately after  **Fill**. If the form contains a great big buncha Conditions, this will save a *lot* of time. But remember: This step is irreversible. All automation (including the Questionnaire) is removed from the form, so you cannot go back and change your answers later.

Attention Markers


If a form contains an Attention Marker, it will automatically be selected when you click  **Fill**, and its message (if any) displayed. To move on to other Attention Markers in the same form, click  **Attn**.

Reset


After filling in a form with  **Fill**, you may want to return to the original unfilled view. Click  **Reset** to return the form to its original state, without disturbing the contents of the Questionnaire.

This is especially important for form authors when testing a form. After clicking  **Fill** to test a form, always  **Reset** before making changes to the form; otherwise your changes might be lost.

Blanks


Click  **Blanks** to replace Fields with blank lines. This is handy if you want to print out a copy of the form so that it can be filled in by hand. Some form authors save their finished forms with **Blanks** turned on because it makes the form look less complex and more welcoming to form users.

Petrify


After finalizing a document, you may click  **Petrify** to convert all Fields to plain text and remove the Questionnaire. The document is then an ordinary Word document stripped of TheFormTool features, ready for emailing to a client or any other purpose. You may also choose to automatically scrub metadata from the finished document during **Petrify** (page 134).


Many forms might be used in a single matter, and lots of info is repeated among those forms – the client's name, address, phone number, and so on. Rather than retype all that info in each form, you can save answers from one form and reuse those answers in later forms.

Saving Answers


After typing answers in a Questionnaire, click  **Save/Load**.


Choose where the answer file will be saved in the **Folder** box. (See page 118 for more on creating, renaming, and deleting folders.)

If an answer file has already been created for this matter, select it in the **File** box. If not, Click  to create a new file.



Label	Answers in form
Client	John Smith [he]
ClientParty	Plaintiff
Opp	Jane Jones
OppParty	Defendant
Docket	12345678
Date	6/19/2011
Atty	Jennifer Sykes


After selecting (or creating) an answer file for this matter, click  to indicate answers should be copied *from the form to the file*.



Label	Answers in form
Client	John Smith [he]
ClientParty	Plaintiff
Opp	Jane Jones
OppParty	Defendant
Docket	12345678
Date	6/19/2011
Atty	Jennifer Sykes

Checkboxes show which answers will be copied to the file and give you a chance to refine the selection if needed.


Click **GO** to finish.




Label	Answers in form
<input checked="" type="checkbox"/> Client	John Smith [he]
<input checked="" type="checkbox"/> ClientParty	Plaintiff
<input checked="" type="checkbox"/> Opp	Jane Jones
<input checked="" type="checkbox"/> OppParty	Defendant
<input checked="" type="checkbox"/> Docket	12345678
<input checked="" type="checkbox"/> Date	6/19/2011
<input checked="" type="checkbox"/> Atty	Jennifer Sykes


Loading Answers


Now suppose that you are using a second form for the same matter. Instead of retyping answers into the second form's Questionnaire, simply load the answers you saved previously.


Click  **Save/Load** and select the **Folder** where the answer file is saved.

Select an answer file in the **File** box.

If there are lots of answer files, use the  search button for fast results.




After selecting an answer file, click  to indicate answers should be copied *from the file to the form*.





Checkboxes show which answers will be copied to the form.

Click **GO** to finish.




Updating Answers

You will frequently want to update the answers in an answer file. Perhaps you corrected a name spelling, or maybe a new form asked questions that did not appear in earlier forms. With the current form on your screen (and accurate answers in the form's Questionnaire), click  **Save/Load**, select the answer file, and click  to indicate answers should be copied *from the form to the file*.

Answers that differ between the form and the saved file are automatically selected.


In this example, the opposing party's name was spelled **Jane Jones** in the saved file, but it has been corrected to **Jayne Jones** in the form.


Click **GO** to finish, and the file is updated with the new name spelling.








Organizing Answer Files


When first installed, TheFormTool stores all answer files in a single folder named "Answers." But you may want to subdivide that folder into several subfolders or even sub-subfolders.






Use the **Folder** buttons at the top of the  **Save/Load** screen to organize the area where answers are saved in your office.





Click  to create a subfolder within the selected folder,  to rename a subfolder, or  to remove a subfolder. Use  to paste an answer file into the selected folder after copying it from another folder.

Use the **File** buttons at the top of the  **Save/Load** screen to manage answer files.





Click  to find a file in the currently selected folder or its subfolders, and  to return to a listing of all files. Click  to create a new answer file within the selected folder,  to rename an answer file, or  to permanently remove an answer file and all the answers it contains.

To use one answer file as a starting point for another (for instance, if two matters are related and share much of the same info), click  to copy the first file, select the folder where the new file belongs, then click  to paste it.

Sharing the Questionnaire


Rather than fill in the Questionnaire yourself, you can use it to collect answers from someone else, even if that person does not own TheFormTool or Doxserá®. All they need is Microsoft Word, version 2007 or later.

1. Prepare and Send the Questionnaire

First open a form as if you were going to fill it in yourself, then click  **Tools**,  **Prepare to Share**.


This screen walks you through several steps to make the Questionnaire usable by anyone who owns Microsoft Word, version 2007 or later. Depending on your choices, it will:

- Step 1 Check linked answers and sourced answers (answers that use other answers as a source for choices). You are prompted to convert linked answers to Grids, while sourced answers are automatically made sharable.
- Step 2 Adjust series answers to include enough empty slots for complete answers.
- Step 3 Convert checkboxes to be compatible with Word 2007.
- Step 4 Remove the content of the form so the Questionnaire can be shared by itself.
- Step 5 Hide the Label column of the Questionnaire.





When finished, send the prepared Questionnaire to your target audience, asking them to return it to you after answering all the questions.

2. Save Answers

When the Questionnaire is returned to you, open it and click  **Save/Load** to save the responses to an answer file (page 116). Then close the Questionnaire – it's not needed for Step 3.

3. Fill in the Form

Use the original form to start a fresh document, and click  **Save/Load** to load the responses you saved in Step 2. Click  **Fill**, and the form is complete.

Sources: Master Lists

Master Lists are great repositories for tabular info (arranged in columns and rows) that is used in multiple forms. For example, many firms maintain a Master List of employees, along with their direct dial numbers, email addresses, and other info. That info is then available in all forms to create signature blocks and personalized letterhead. Rather than require the form user to type a name, create a Dropdown answer that uses a Master List as its source (page 11). Not only have you saved the form user the trouble of typing the name; they also don't have to type (or even remember) the email address and phone number. And when a new employee joins the firm, type the new name, direct dial number, and email address in a single location – the Master List – and all of the forms using that Master List are updated with the new info.

Lesson 18




Lesson 18


Lesson 18

Lesson 18: Creating Master Lists

In this lesson, you create a Master List named "Employees" to store employee names, direct dial numbers, and email addresses.

1 Add a new Master List

- Click  **Sources**,  **Master Lists** to open the Master Lists screen
- Click  to create a new Master List
- Name the Master List **Employees** and click **OK**
- Choose **3** columns and click **OK** to open the Master List editing document



2 Add content to the Master List

- Type column headings in the first row: **Name, Ext, Email**
- Fill in as many rows as you like (to add a new row, press **Tab** when the cursor is in the last cell)

MASTER LIST: Employees

After editing, click **Sources, Master Lists** to save

Name	Ext	Email
Jennifer Sykes	8934	sykes@lawfirm.com
Herb Blount	9478	blount@lawfirm.com
Ethel Adams	8234	adams@lawfirm.com

This is an ordinary Word table, so you can use all of Word's built-in table editing commands to add, delete, and move rows and columns. A summary of handy keystrokes is included in the footer of the Master List editing document.

3 Save your work

- Click  **Sources**,  **Master Lists** to return to the Master Lists screen
- Click **Save and Close**



This Master List will be used in Lesson 19 on page 122.

Lesson 18

Lesson 18

Lesson 18


Modifying Master Lists



Click **Sources**, **Master Lists** at any time to return to the Master List screen and manage your Master Lists.

After selecting a Master List, click to rename, or to permanently remove the whole Master List and all the data it contains.

Click **Edit** to open the Master List editing document so you can make changes or additions.



Import and Export Master Lists



When The**FormTool** is installed on a network, Master Lists are shared among all users. But you may wish to download and install sample Master Lists or share Master Lists with The**FormTool** users at other offices.

To import a Master List: Open the Master List document that you downloaded or received, click **Sources**, **Master Lists** to open the Master Lists screen, and click **Save and Close**. **WARNING:** If you already have a Master List with the same name as the Master List being imported, it will be overwritten with the imported Master List.

To export a Master List: Click **Sources**, **Master Lists** to open the Master Lists screen, select a Master List, and click **Edit**. Save the resulting Word document and send it to the recipient.

Lesson 19

Lesson 19

Lesson 19

Lesson 19: Using Master Lists

- Master List (page 119)
- Dropdown answer (page 9)



Use your Master List of Employees to create an automated signature block.

Prerequisites:

- “Employees” Master list from Lesson 18 on page 120

1

Create the Questionnaire

- Type or copy/paste this text into a blank document
- Click  **Questionnaire**,  **Create** to add a Questionnaire
- Fill in the Questionnaire as shown

I swear that the above-stated facts are true and correct.

a


Jennifer Sykes
(555) 555-8934
sykes@lawfirm.com

b

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	Who will sign this document?	

2

Create a Smart Answer

- Put the cursor in the **Signer** answer box and click  **Smart Answer**
- Click the **Dropdown** answer type
- Select the source **Master List, Employees** and click **OK**

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Signer	Who will sign this document?	

Text Dropdown Yes/No Checkboxes Derived

Single dropdown

Series of dropdowns

Source for dropdown choices: Master List Employees

☐ Allow user to write own response

Example

The dropdown box allows users to select one of several choices.

Question	Answer
Choose a region	North




Users cannot type their own response -- they must choose one in the dropdown list.


Choices shown in the dropdown are items in the left column of a Master List.

If **Employees** is missing, you haven't created the Master List yet. See Lesson 18 on page 120.

3

Add Fields

- a Select **Jennifer Sykes** and click  **Field**
- b Select the **Signer** answer
- c Select the **Name** column of the Master List and click **OK**
- d Select **8934** and click  **Field**
- e Select the **Signer** answer
- f Select the **Ext** column of the Master List and click **OK**
- g Select **sykes@lawfirm.com** and click  **Field**
- h Select the **Signer** answer
- i Select the **Email** column of the Master List and click **OK**



Before

I swear that the above-stated facts are true and correct.


Jennifer Sykes
(555) 555-8934
sykes@lawfirm.com

After

I swear that the above-stated facts are true and correct.

{Signer:Name}
(555) 555-{Signer:Ext}
{Signer:Email}

== THE PAYOFF ==

All that's required of the form user is to select an employee from a dropdown box in the Questionnaire. When  **Fill** is clicked, the name, extension, and email address are all filled in automatically.

TheFormTool (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
Signer	Who will sign this document?	Herb Blount




I swear that the above-stated facts are true and correct.

Herb Blount
(555) 555-9478
blount@lawfirm.com

Sources: Wrappers

Wrappers change the overall *appearance* of a finished document without changing the *content*. Use Wrappers to produce the same content with a variety of “looks.”



In the two letters above, the content is identical (“Dear Sirs, Enclosed please find...”), but Wrappers have dramatically changed the appearance (fonts, margins, headings, indents, spacing, headers, footers, watermarks, styles, etc.). Wrappers turn a single form into a chameleon that can instantly rebrand itself to serve multiple affiliates, subsidiaries, jurisdictions, or marketing channels. And Wrappers can automatically apply your own corporate identity to generic forms supplied by form publishers and other external sources.

Creating Wrappers



1. Get the Right “Look”

First open a document that has the right “look.” If headers and footers are part of the look, be sure to check both first- and second-page headers and footers (and odd/even headers and footers if applicable). Page formatting is also important – margins, paper size and orientation.

Pay close attention to the Styles contained in the document. (In fact, this might be a good time to brush up on your Microsoft Word Style skills, if you’re not already familiar with that feature.) The **Normal** Style, in particular, controls the appearance of much of the document, and the **Body Text** Style is often employed to determine default paragraph formatting. Heading Styles (**Heading 1** through **Heading 9**) are excellent tools to customize the appearance of a document, and can include automatic numbering. If this Wrapper will be applied to documents that contain footnotes, endnotes, tables of contents, tables of authority, or indexes, then be sure those Styles are all formatted as desired (**Footnote Text**, **Endnote Text**, **TOC 1** through **TOC 9**, **TOA Heading**, and **Index 1** through **Index 9**).



More generally speaking, be aware that when a Wrapper is applied to a form, every Style used in the form will be converted to that Style’s appearance in the Wrapper. That’s great, because it gives you enormous freedom and flexibility to dramatically alter document appearance; but it does mean you must be vigilant about the format of Styles in Wrappers and the way Styles are applied in forms that use Wrappers.


2. Remove Content and Save-As

Once the page format, headers, footers, and Styles are correct, delete all the text in the body of the document. Remember: We are creating a Wrapper for content that will be supplied by a form; the Wrapper itself does not contain any content (except what's contained in the headers and footers).

Save the empty model document (be sure to use the **Save-As** command if you don't want to overwrite the document you started with).

3. Create and Name the Wrapper

With the saved model document open on your screen, click  **Sources**,  **Wrappers**, **Create new Wrapper with current document**. You will be prompted to type a name for the new Wrapper.





Adding Wrappers to Forms



Ask the User to Choose a Wrapper


As a form author, you may want to allow the form user to choose a Wrapper. For example, if we had created two Wrappers named **Acme** and **Posh**, we could ask the form user to choose one of them to create a finished document branded with either look.


To create a Wrapper question, add a new row wherever desired in the Questionnaire (click  **Row/Column**,  **Add**).

Type a question in the Question column, but leave the Label column blank. (The label will be provided automatically in the next step.)

Put the cursor in the new row's answer box.


Doxserá (c) 2011-2015 Snapdone, Inc.		
Label	Question	Answer
Name	Name of client	John Smith
Date	Effective date	11/16/14
	Choose a "look" for this document	

Click  **Smart Answer**, select **Make this a Wrapper question**, and click **OK**.



Select the Wrappers that should appear as choices for the user (in this example, **Acme** and **Posh**).

Click **OK**.



Two things happened:

- (1) The label **TFTWrapper** was added.
- (2) The selected Wrappers appear as choices in a dropdown answer.

Doxsera (c) 2011-2015 Snapdome, Inc.		
Label	Question	Answer
Name	Name of client	John Smith
Date	Effective date	11/16/14
TFTWrapper	Choose a "look" for this document	<div> <div>Acme</div> <div>Posh</div> </div>

When this form is used and the form user selects **Acme** or **Posh**, the corresponding Wrapper will be applied during the **Fill** step, instantly transforming the appearance of the finished document. At a later date, if a different appearance is needed, the user can select a different Wrapper and click **Fill** again.

Automatically Apply a Particular Wrapper


Sometimes the form author wants to apply a particular Wrapper to a particular form each and every time the form is used. Since no input is required from the form user, this is best handled with a Derived answer.

The steps are the same as above, except in the Smart Answer screen:

Click **Derived**.

Select the Wrapper to be applied.

Click **OK**.



Automatically Decide Which Wrapper to Apply

As a variation of the above, the form author could add Conditions within a freeform Derived answer so that the correct Wrapper is automatically selected, depending on responses to other questions in the questionnaire.


In this form two Conditions have been created, so that the Acme Wrapper will be applied in some circumstances, and the Posh Wrapper will be applied in others.

Doxserá (c) 2011-2015 Snapdome, Inc.		
Label	Question	Answer
Name	Name of client	John Smith
Date	Effective date	11/16/14
TFTWrapper	(derived)	{if:Acme}{if:Posh}

Wrappers and Section Breaks

If your form contains section breaks (accessed in Word's **Page Layout, Breaks** menu), be aware that some Wrapper formatting will only be applied to the *last section* in the finished document. This is because formatting stored in preceding section breaks takes precedence over formatting stored in the Wrapper. This has no impact on Styles, but does affect headers, footers, and Page Setup settings that are applied to **This section**.


In this situation, if you require headers and footers to change throughout the form instead of just in the last section, you could (1) eliminate the section breaks; (2) split the form into separate forms; or (3) add Conditions within each header/footer so that the unwanted "look" is removed and the desired one is retained.




More Tools for the Form Author

The Field/List/Condition Screen




The  **Field**,  **List**, and  **Condition** screens contain a few more features to make life easier for form authors.

Blank Lines

When inserting many types of Fields and Lists, a **Blank line** checkbox appears in the Format screen to determine what happens during the  **Fill** step when answers are left empty in the Questionnaire.

If **Blank line** is checked for a particular Field or List and its answer is left empty, a blank line is left in the finished document to mark where info is missing.

If **Blank line** is unchecked for a particular Field or List and its answer is left empty, the Field or List is removed from the finished document with no placeholder left behind.




Including blank lines is usually preferable, because they provide a visual cue when info is missing. But you may want to exclude blank lines for Fields in table cells, for instance, because the blank line looks confusing (and unattractive) when combined with the table grid lines.

Field/List/Condition Count

The Field screen includes a button to count how many times each answer is used in the form, whether as a Field, List, or Condition.


After clicking #, the column of numbers appears.



Search for a Label


When the Questionnaire is long, it can be tough to find a particular answer. Click 🔍 to display the **Find** box.

Type any part of the label name in the box to locate the one you want.



Alphabetize


Click **abc** to toggle alphabetical sorting. With alphabetical sorting turned off, labels are listed in the same order that they appear in the Questionnaire.



Find Other Locations to Paste Field

When adding a Field, instead of clicking **OK** to insert it once, click 📄 to find other locations in the form where you want to paste the same Field.

You can also open the Find-and-Paste screen directly from the **TheFormTool** tab by clicking 🛠️ **Tools**, 📄 **Find and Paste** (page 128).



Editing Questionnaires and Grids















The Questionnaire is “locked down” to prevent form users from accidentally changing the structure that was built by the form author. So you cannot use Word’s ordinary table editing commands to delete a row, for example. But TheFormTool provides several complementary commands so you still have full control.

Questionnaire Removal




Questionnaires are ordinarily only removed from finished documents after a form has been used (Petrify, page 115). But if you’re working on a form and you need a complete fresh start, you can click 🗑️ **Questionnaire**, ➡️ **Remove** to completely wipe out the Questionnaire along with any Grids.

Row/Column


Click  **Row/Column** for a list of commands to manipulate rows in the Questionnaire or columns in a Grid. Add and remove rows/columns with  **Add** and  **Remove**. Copy a row/column with  **Copy**. Rearrange rows with  **Move Row Up** and  **Move Row Down**, and columns with  **Move Column Left** and  **Move Column Right**. (Select multiple rows/columns to move several at once.) Toggle the visibility of Labels and Derived answers with  **Show/Hide**. Organize long Questionnaires and colorize Grids with  **Divider** (page 129).


Once a form is complete, you may want to hide the Label column of the Questionnaire so it does not distract form users. Click  **Row/Column**,  **Show/Hide** to toggle the visibility of that column.

Empty Cells

When you need a clean slate, select any number of cells in the Questionnaire or a Grid and click  **Tools**,  **Empty Cells** to delete their contents. To prevent corruption, only use  **Empty Cells** on an *entire* row in the Questionnaire or an *entire* column in a Grid.



Relabeling and Deleting Questions

To relabel or delete a question in the Questionnaire or a column in a Grid, select its label and click  **Field**. Relabeling or deleting a question also relabels or deletes all of its associated Fields in the form.




A screenshot of a dialog box titled "Field: Buyer" with a question mark icon in the top right corner. The dialog box contains three buttons: "Rename Field", "Delete Field", and "Cancel". At the bottom, there is a small copyright notice: "(c) 2011 Snapdone, Inc."

Clearing Answers

While creating a form, you may type sample data into the Questionnaire for testing purposes. When the form is finished, you can empty out all of the sample data by clicking  **Tools**,  **Clear Answers**.



Dividers

Use the  **Row/Column**,  **Divider** menu to organize large Questionnaires with explanatory dividers and eye-catching color schemes.

Lesson 20: Dividers in Questionnaires




In this lesson, you make a Questionnaire more approachable by subdividing it into Buyer Info and Seller Info.

1 Create a Questionnaire

- Open a blank document and click  **Questionnaire**,  **Create** to add a Questionnaire
- a Fill in the Questionnaire as shown

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
SellerName	Name of seller?	
SellerAddr	Address of seller?	
SellerPhone	Phone number of seller?	

2 Add a Divider

- a Put the cursor anywhere in the **BuyerName** row and click  **Row/Column**,  **Divider**,  **Add**




TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
SellerName	Name of seller?	
SellerAddr	Address of seller?	
	Phone number of seller?	

 **Before**

Doxserá (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
[type heading here]		
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
SellerName	Name of seller?	
SellerAddr	Address of seller?	
	Phone number of seller?	

 **After**

3 Add a heading and a second Divider

- a Type **Buyer Info** in the Divider
- b Put the cursor anywhere in the SellerName row and click  **Row/Column**,  **Divider**,  **Add**, and type **Seller Info**

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Buyer Info		
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
SellerName	Name of seller?	
SellerAddr	Address of seller?	
SellerPhone	Phone number of seller?	

4

Add color

(if corporate gray isn't your thing)

a Put the cursor anywhere in the **Buyer Info** divider

- Click  **Row/Column**,  **Divider**,  **Color**,  **Blue**




b Put the cursor anywhere in the **Seller Info** divider

- Click  **Row/Column**,  **Divider**,  **Color**,  **Yellow**

 **Before**




TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Buyer Info		
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
Seller Info		
SellerName	Name of seller?	
SellerAddr	Address of seller?	
SellerPhone	Phone number of seller?	

If you want to remove a Divider later, put the cursor in it and click

 **Row/Column**,  **Divider**,  **Remove**.

 **After**

TheFormTool (c) 2011-2016 Snapdone, Inc.		
Label	Question	Answer
Buyer Info		
BuyerName	Name of buyer?	
BuyerAddr	Address of buyer?	
BuyerPhone	Phone number of buyer?	
Seller Info		
SellerName	Name of seller?	
SellerAddr	Address of seller?	
SellerPhone	Phone number of seller?	

You can also colorize an entire Grid by putting the cursor in the Grid, clicking  **Row/Column**,  **Divider**,  **Color**, and choosing a shade.



Reusing Questionnaires

 **Authors**

As you create more forms, you will find yourself asking the same types of questions in many different Questionnaires. For example, an attorney might have one set of questions that are typically used in Estate Planning matters, another set for Litigation matters, and another for Corporate matters. Rather than recreate those Questionnaires from scratch in each form (or finding an old form to copy-and-paste the Questionnaire), save your frequently-used Questionnaires in a “bank” for future use.

Saving a Questionnaire

Note that this process is different than saving *answers* (page 116). Here we're saving the *questions* so that they can be used to quickly create similar Questionnaires in other forms.


Open a form that contains a good Questionnaire and click  **Questionnaire**,  **Save** to open this screen.

Choose a **Folder** in which to save the Questionnaire.

Type a **Questionnaire Name**, and click **Save**.



Other buttons in this screen work the same as those in the answer-saving screen (page 118). Use the three buttons at the top to create, rename, and delete subfolders.


And use the four buttons on the right to rename, delete, copy, and paste previously saved Questionnaires.



r

Reusing a Saved Questionnaire



Once you've saved a Questionnaire, it can be retrieved into any document you want to turn into a similar form. Just click  **Questionnaire**,  **Load**, and select the previously saved Questionnaire.





Checking Forms


 **Authors**

Check Form

After creating a form, it's a good idea to click  **Tools**,  **Check Form**. The **FormTool** checks for problems or inconsistencies and helps fix them.



In this example, the Questionnaire contains a question asking for the name of the property, but the form doesn't contain any Fields that use that question. Clicking **Remove all extra questions** would remove that question from the Questionnaire, since it is not used in the form.

If you have forms that were created with earlier versions of The **FormTool**, use  **Check Form** to convert them to current standards – this will make the  **Fill** process a little faster.



Find and Paste


 **Authors**

The Find and Paste screen ( **Tools**,  **Find and Paste**) allows you to search for any text and replace it with whatever you most recently copied to the Windows clipboard. It is most commonly used when creating forms

from old documents – search for the old client’s name everywhere it appears in the document, and replace it with a corresponding Field that you’ve copied.

In the example shown here, a {ClientName} Field was recently copied to the Windows clipboard (with **Ctrl+C** or any other copying method).

The Find and Paste command is being used to paste that copied Field everywhere the name **Jeremy Hunt** appears in the document.



Click **More** to see the same search options that appear in Word’s search-and-replace screen: wildcards, sounds-like, special characters, etc. A shortcut to the Find and Paste screen also appears in the Field screen when inserting Fields (page 128).

Highlighting Conditions and Lists



In a complex form with lots of coding, it’s sometimes difficult to see exactly where a particular Condition or List ends. To highlight a whole Condition, List or Sublist, put the cursor in the beginning marker – {if: or {List: or {Sublist: – and click **Tools**, **Highlight List/Condition**.

Language for Date Fields



When Date Fields are processed, the language used for months is determined by the computer’s language settings. But you can override that setting and dictate that English be used instead by clicking **Tools**, **Language, English**.

Options




Holidays

When creating Date Offsets (page 16), you can choose to skip holidays. The **FormTool** initially includes the 11 official U.S. federal holidays, but you can modify that list.


Click **Options, Holidays** to open this screen.

Clicking to create a new holiday or to modify an existing holiday opens the holiday editing screen, shown below.


Click to remove a holiday or to reorder the list.




Select **Date** for holidays that occur on a specific date, either each year or in a particular year.




Select **Offset from January 1** for holidays that require a formula, like the first Monday in October.




Metadata Scrubbing

Microsoft Word includes sophisticated built-in metadata scrubbing, but it's easy to forget to use it. Click  **Options, Metadata scrubbing** to automatically include scrubbing during Petrify (page 115).

Sharing Information

The**FormTool** initially saves program info (saved answers, saved Questionnaires, holidays, Master Lists, and Wrappers) on your local computer. But if your firm owns more than one license, you will likely want to share all of that info with other people in your office. To do so, click  **Options, Path** and enter the path to a shared folder on your network. If you previously saved info on your local computer, you will be asked whether you want to copy that info to the shared folder.

If several people in your office have separately saved info on their local computers and you now want to combine the various collections of files in one shared folder, exercise some discretion over which files are copied from each user to avoid duplications and overwriting. To do that, use Windows Explorer to browse to each user's local The**FormTool** file location (indicated in their  **Options, Path** screen) and copy only the desired files from that user's local folder to the new shared folder.

Uninstalling

To uninstall The**FormTool** from a computer click  **Options, Uninstall**. A message directs you to the file that needs to be deleted on your computer.

Index

.doc, .docx, .dot, .dotx.....	6, 7
{###}, {##/##/##} (abbreviated math or date Field).....	92
+ - * / ().....	<i>See Math functions</i>
A/An Condition.....	46
used in lesson	93
Abbreviating Fields	23
math formulae and date functions.....	92
abc button (sorting Fields)	128
Absolute (math function).....	92
Activating TheFormTool.....	ii
Add button – add item to series answer or Grid	114
Addition	<i>See Math functions</i>
Administering licenses	134
Age (math function).....	93
used in lesson	93
Alerts.....	<i>See Attention markers</i>
Allow user to write-in a different response.....	11
Alphabetizing	<i>See Sorting</i>
Alphabetizing Fields (abc button)	128
Amortization.....	<i>See Payment (math function)</i>
AND in Conditions.....	39
Another answer source for answer choices.....	10
Answer boxes	8
Answer column in Questionnaire.....	4
Answer files	<i>See Save/Load answers</i>
Answering questions in the Questionnaire	113
Answers	
answer boxes	8
clear.....	129
defaults.....	15
linked.....	60
converting to Grid.....	14
used in lesson	61
refreshing.....	114
saving and loading	<i>See Save/Load answers</i>
series	114
adding items.....	114
deleting items	114
moving items up and down	114
removing items.....	114
used in lesson	51, 61, 64, 68, 79, 85, 105
Smart Answers	7
source for choices.....	10
types	
Checkboxes	12
updating choices with Refresh	114
used in lesson.....	79
Derived.....	12
hiding.....	14
used in lesson	79, 85, 93
Dropdown	9
allow write-in	11
updating choices with Refresh.....	114
used in lesson	25, 51, 55, 68, 71, 105, 122
Grid	<i>See Grids</i>
linked	
used in lesson	79
Pronoun	<i>See Answers, types, Text with Pronoun</i>
Text.....	8
used in lesson	51, 61, 64, 68, 79, 85
Text with Pronoun.....	9
used in lesson	25
Yes/No.....	11
used in lesson	42
Apostrophes with Singular/Plural Fields	24
Arithmetic.....	<i>See Math</i>
Attention markers.....	113, 115
Attn button	115
Automatic answers.....	<i>See Answers, types, Derived</i>
Black circled numbers in Lists	50, 54
Blank lines for empty answers.....	127
Blanks button.....	115
Borders in a List formatted as a table.....	50
Boxes, answer	8
Braces in Math screen.....	88
Brackets around Fields.....	6
Buttons on TheFormTool tab	1
Add.....	114
Attn.....	115
Attn Mark	113
Blanks	115
Check	
Form	132
Condition	32
Down.....	114
Field.....	4, 15, 129
Fill	6, 114
List	49
Options	
Holidays.....	133
License code	3
Manage licenses	134
Metadata scrubbing.....	134
Path.....	134
Uninstall.....	134
Peek Next.....	114
Peek Off.....	114
Petrify	115
Questionnaire	

Create.....	4
Grid	
Add	14
Move Down	14
Move Up	14
Remove	14
Load	132
Remove.....	128
Save.....	131
Refresh.....	114
Remove.....	114
Reset.....	115
Row/Column	
Add	129
Copy	129
Divider	
Add	129
Color	129
Remove	129
Move Column Left.....	129
Move Column Right.....	129
Move Row Down.....	129
Move Row Up	129
Remove.....	129
Show/Hide	129
Save/Load.....	116
Smart Answer.....	7
Sources	
Master Lists.....	119
Wrappers.....	124
Start.....	6, 114
Tools	
Clear Answers.....	129
Convert to Grid	14
Empty Cells.....	129
Find and Paste.....	132
Highlight List/Condition	133
Language.....	133
Prepare to Share	118
Up.....	114
Caption of pleading with telescoping parentheses	48
Capturing and reusing answers... <i>See</i> Save/Load answers	
Characters allowed in Labels	4
Cheat sheet.....	ii
Checkboxes answers..... <i>See</i> Answers, types, Checkboxes	
Checking forms	132
Circled numbers in Lists	50, 54
Clauses in a List.....	50
Cleaning metadata from documents.....	134
Clear answers	129
Coloring Questionnaires and Grids.....	129
Columns in a Grid..... <i>See</i> Grids	
Columns in a List formatted as a table.....	50
Columns in the Questionnaire	4

Commands..... <i>See</i> Buttons on TheFormTool tab	
Compare two answers	36
Compatibility mode.....	6
Compound Conditions	<i>See</i> Conditions, compound
Compound interest..... <i>See</i> Payment (math function)	
Conditions	32
a/an	46
used in lesson	93
AND/OR/XOR..... <i>See</i> Conditions, compound	
based on Dropdown answers	37
based on series answers.....	37
based on Text answers	36
based on Text-with-Pronoun answers	36
based on Yes/No answers.....	38
Boolean..... <i>See</i> Conditions, compound	
comparing two answers.....	36
compound.....	38
used in lesson	39, 42
conditional period	46
conditional row	47
conditional section.....	48
deleting	38
end-of-Condition marker.....	35
Item tab	37
lesson using Condition	71
lesson using Conditions.....	33
List tab.....	37
modifying	38
nesting.....	35, 45
parentheses in Condition.....	41
used in lesson	42
parentheses in legal captions	48
removing.....	38
selecting or highlighting	133
Sublist tab	37
telescoping parentheses	48
with Master List columns	38
Configuring TheFormTool	133
Constants, mathematical.....	97
Converting a form to plain text.....	115
Converting linked answers to Grids	14
Converting old files.....	6
Copying and pasting Fields	132
Copying and pasting in the Math screen.....	88
Correcting errors in forms	132
Count Fields	<i>See</i> Fields, types, Count
Count the number of Fields in a form.....	128
Criteria in Conditions..... <i>See</i> Conditions, compound	
Cube root	<i>See</i> Root (math function)
Cubed	<i>See</i> RaiseToPower (math function)
Curly braces in Math screen.....	88
Current item in List (#X)	<i>See</i> Fields, current item (#X)
Custom Field format	<i>See</i> Fields, custom format

Date Fields	See Fields, types, Date
Date functions.....	22
Days (number of days between two dates)	97
DerivedFirstDate.....	98
DerivedLastDate	98
FirstDate	100
LastDate	100
ListFirstDate	101
ListLastDate	101
Months (number of months between two dates).....	102
Now (today's date)	103
Years (number of years between two dates)	104
Date offsets.....	16
holidays.....	133
used in lesson	17, 20
Dates that count as holidays.....	133
Days (math function).....	97
Debugging forms	132
Decisions	See Conditions
Default answers.....	15
Defined formats.....	See Formatting Fields
Demos	See Lessons
Derived answer functions	
DerivedCount.....	97
DerivedFirstDate.....	98
DerivedLastDate	98
DerivedMax	98
DerivedMin.....	98
DerivedMultiply	98
DerivedSum	99
Derived answers.....	See Answers, types, Derived
Dividers in Questionnaires	129
used in lesson	130
Division	See Math functions
doc, docx, dot, dotx.....	6
Documents versus templates.....	7
Don't Refresh in Speedy Fill mode.....	115
Don't Reset in Speedy Fill mode.....	115
Down button – rearranging a series answer	114
Dropdown answers	See Answers, types, Dropdown
e (math constant).....	97
Emptying cells in Questionnaire or Grid.....	129
Enable content security warning	See Installing
TheFormTool	
Enable editing security warning	See Installing
TheFormTool	
End-of-Condition marker	35
Errors, checking for.....	132
Examples	See Lessons
Exclusive OR in Conditions (XOR).....	39
Exercises	See Lessons
Export Master List.....	121
Field (math function).....	99
used in lesson	88, 93, 105
Fields	15
abbreviating.....	23
adding to a form	4
blank lines for empty answers	127
current item (#X)	63
used in lesson	61, 64
custom format	32
finding in a form	114
first item (#F)	63
used in lesson	71
for series answers	31
formatting	See Formatting Fields
item Fields	32
labels.....	See Labels
last item (#L).....	63
List/Sublist/Item tabs.....	31
math.....	87
modifying	32
names	See Labels
next item (#N).....	63
number of Fields in a form	128
pasting a Field in several locations.....	128, 132
previous item (#P).....	63
used in lesson	64
replacing text with a Field	128, 132
replacing with blanks.....	115
sorting	128
types	
Count.....	31
Date	16
language.....	133
used in lesson	17, 20, 55, 105
Number	16
used in lesson	20, 71, 88, 93, 105
Pronoun	23
used in lesson	25
Singular/Plural	23
used in lesson	25
Text.....	15
File formats	6
Fill button.....	114
speedy mode	115
Find a Field in a form	114
Find an answer file	118
Find and Paste	128, 132
Find label in Field/List/Condition screen	128
Firm name	See Installing TheFormTool
First capital	See Formatting Fields
First item in List (#F)	See Fields, first item (#F)
FirstDate (math function)	100
Fixing forms.....	See Checking forms
Folders	

organizing answer files	118	Interest.....	<i>See</i> Payment (math function)
organizing saved Questionnaires	132	Interval	<i>See</i> Days, Months, or Years, <i>See</i> Age, Days, Months, or Years
path to shared files.....	134	Is/Are	<i>See</i> Fields, types, Singular/Plural
Formatting Fields.....	5	Item Fields	<i>See</i> Fields, item Fields
blank lines.....	127	Item tab in Field/Condition screen	37
Count Fields.....	31	Labels	
custom format.....	32	finding in Field/List/Condition screen.....	128
Date Fields	16	hiding	129
Number Fields.....	16	Label column in Questionnaire.....	4
Pronoun Fields	23	valid characters	4
Text Fields.....	15	Language for Date Fields.....	133
Word formatting	5	Last item in List (#L).....	<i>See</i> Fields, last item (#L)
Formulae	<i>See</i> Math	LastDate (math function).....	100
Freeform Derived answers ..	<i>See</i> Answers, types, Derived	Layers in a List	<i>See</i> Lists, layers
FreeForm format	<i>See</i> Formatting Fields	Legal caption with telescoping parentheses	48
Functions	<i>See</i> Math	Lessons	
Functions applied to dates.....	<i>See</i> Date functions	Conditions	33
Functions applied to Derived answers	<i>See</i> Derived answer functions	Creating Master Lists	120
Functions applied to Lists.....	<i>See</i> List functions	Dates, Math, and Derived Answers	93
Gender words.....	<i>See</i> Fields, types, Pronoun	Derived Series Answers.....	79
Gray Field codes with brackets	6	Dividers in Questionnaires.....	130
Grids	14	Fixed Date Offset	17
adding columns.....	129	List in Table Format, Master List, and Math.....	105
adding rows.....	114	List Layers	55
converting linked answers to Grids.....	14	List with a Grid	71
copying columns	129	List with Linked Answer.....	61
creating.....	14	List with Previous Item.....	64
deleting columns.....	129	Lists	51
deleting rows	114	Math Fields.....	88
editing.....	128	Pronouns and Plurals.....	25
emptying cells.....	129	Sorting a List	85
Fields for Grids.....	31	Sublists	68
Grid used in lesson	55, 71	This AND That.....	39
hiding label row	129	This OR That AND the Other Thing	42
List from Grid.....	70	Using Master Lists	122
moving columns left and right.....	129	Variable Date Offset	20
moving rows up and down	114	License code.....	<i>See</i> Installing TheFormTool
relabeling columns.....	129	Licenses	
removing rows	114	applying to computers or people	134
renaming Fields.....	129	managing	134
He/she/it/they	<i>See</i> Answers, types, Text with Pronoun	Lines	<i>See</i> Blank lines
Headings in a list formatted as a table	50	Lines in a list formatted as a table	50
Hiding Labels and Derived answers.....	14, 129	Linked answers	<i>See</i> Answers, linked
Highlighting Conditions and Lists	133	List functions	
Holidays	133	ListCount	100
If (marker at beginning of Condition).....	35	ListFirstDate	101
If/then conditions	<i>See</i> Conditions	ListItem#	101
Import Master List	121	ListLastDate.....	101
Include N/A choice	12	ListMax	101
Installing TheFormTool.....	2	ListMin	101
Sharing files on a network	134	ListMultiply.....	102
Integer (math function)	100	ListSum	102
		List tab in Field/Condition screen	37

List/Sublist/Item tabs	31	DerivedMax	98
Lists	49	DerivedMin	98
clauses	50	DerivedMultiply	98
current item (#X)	63	DerivedSum	99
used in lesson	61, 64	division	92
first item (#F)	63	e (math constant)	97
used in lesson	71	Field	99
from Derived series answer	78	used in lesson	88, 93, 105
from Grid	70	FirstDate	100
last item (#L)	63	Integer	100
layers	54	LastDate	100
used in lesson	55	ListCount	100
linked answers in Lists	60	ListFirstDate	101
List used in lesson	51, 61, 64, 71	ListItem#	101
math in Lists	104	ListLastDate	101
next item (#N)	63	ListMax	101
number dots	50, 54	ListMin	101
previous item (#P)	63	ListMultiply	102
used in lesson	64	ListSum	102
repeating-paragraph format	50	Logarithm	102
selecting or highlighting	133	Maximum	102
sorting	84	Minimum	102
table format	50	minus	92
used in lesson	105	Months	102
Lists, Master	See Master Lists	multiplication	92
Load Master List	See Import Master List	Now	103
Loading answers	117	used in lesson	93
Loading Questionnaires	132	parentheses	92
Loan payments	See Payment (math function)	Payment	103
Locked Math screen	88	used in lesson	88
Logarithm (math function)	102	pi (math constant)	97
Lowercase	See Formatting Fields	plus	92
Maintain compatibility	7	RaiseToPower	103
Managing licenses	134	Remainder	103
Markers, attention	113, 115	Root	104
Master Lists	119	Round	104
creating	120	subtraction	92
importing and exporting	121	Years	104
in Conditions	38	Lists with math	104
Master List used in lesson	105, 120, 122	Math used in lesson	88, 93, 105
modifying	121	parentheses in functions	92
source for answer choices	11	parts of the Math screen	87
Math	87	unlocking the Math screen	88
abbreviating formulae	92	Maximum (math function)	102
functions	92	Menu	See Buttons on TheFormTool tab
Absolute	92	Message for form user	See Attention markers
addition	92	Metadata scrubbing	134
Age	93	Microsoft Word	See Versions of Word
used in lesson	93	Minimum (math function)	102
Constant	97	Minus	See Math functions
Days	97	Modulo	See Remainder (math function)
DerivedCount	97	Monthly payments	See Payment (math function)
DerivedFirstDate	98	Months (math function)	102
DerivedLastDate	98	Multiplication	See Math functions

N/A choice.....	12
Name, registered	See Installing TheFormTool
Naming Fields	See Labels
Nested Conditions	35, 45
Nested Lists.....	54
Networking.....	134
Next item in List (#N)	See Fields, next item (#N)
Not-applicable choice	12
Now (math function)	103
used in lesson	93
Number dots in Lists	50, 54
Number Fields.....	See Fields, types, Number
Number of Fields in a form	128
Offsets	See Date offsets
Old file formats.....	6
One item per row in a list formatted as a table	50
One-page cheat sheet.....	ii
Options	133
OR in Conditions.....	39
Order.....	See Sorting
Order of operation in Conditions	41
Parentheses in Conditions	41
Parentheses, telescoping in a legal caption.....	48
Path to shared files.....	134
Payment (math function)	103
used in lesson	88
Peek Next and Peek Off buttons	114
Peeking	114
Period, conditional.....	46
Periodic payment	See Payment (math function)
Petrify button.....	115
Petrify in Speedy Fill mode	115
pi (math constant)	97
Plain text.....	See Petrifying a form
Plain text answers	See Answers, types, Text
Pleading caption with telescoping parentheses.....	48
Plural/Singular Fields....	See Fields, types, Singular/Plural
Plus.....	See Math functions
PMT.....	See Payment (math function)
Possessives with Singular/Plural Fields.....	24
Power	See RaiseToPower (math function)
Prepare to Share Questionnaire	118
Previewing answer location in form	See Peeking
Previous item in List (#P)....	See Fields, previous item (#P)
Program updates.....	3
Pronoun answers	See Answers, types, Text with Pronoun
Pronoun Fields	See Fields, types, Pronoun
Protected view	See Installing TheFormTool
Questionnaire button....	See Buttons on TheFormTool tab,
Questionnaire	

Questionnaires	
adding rows.....	4, 129
answering questions.....	113
coloring with Dividers	129
copying rows	129
creating.....	4
deleting	128
deleting rows.....	129
editing	128
emptying cells	129
hiding rows.....	129
loading	132
moving rows.....	129
moving to Questionnaire with Start button	114
navigation with Tab	113
organizing with Dividers.....	129
relabeling rows.....	129
renaming Fields	129
saving.....	131
sharing.....	118
RaiseToPower (math function)	103
Refresh button	114
Registered name.....	See Installing TheFormTool
Remainder (math function)	103
Remove button – remove item from series answer or	
Grid	114
Repeating-paragraphs format for Lists.....	50
Replacing text with a Field	128, 132
Reset button.....	115
Reusing answers	See Save/Load answers
Reusing Questionnaires	131
Ribbon	See Buttons on TheFormTool tab
Right-click to edit template file.....	7
Root (math function)	104
Round (math function).....	104
Row in a table, conditional	47
Rows in Questionnaire	See Questionnaire
S - adding to the end of plural words	23
Save/Load answers	116
loading answers from file	117
organizing answer files.....	118
saving answers to file	116
updating answer files.....	117
Save/Load button.....	116
Saving Questionnaires	131
Scrubbing metadata.....	134
Search and Paste	128, 132
Search for answer file	118
Search for label in Field/List/Condition screen.....	128
Section, conditional	48
Security warnings	See Installing TheFormTool
Selecting Conditions and Lists.....	133

Series.....	<i>See Lists</i>
Series answers.....	<i>See Answers, series</i>
Series functions.....	<i>See List functions</i>
Settings	133
Setup	<i>See Installing TheFormTool</i>
Share Master List.....	<i>See Export Master List</i>
Shared info available to all forms	<i>See Master Lists, Wrappers</i>
Sharing a Questionnaire.....	118
Sharing data on a network.....	134
Show/Hide Labels and Derived answers.....	14, 129
Singular/Plural Fields.....	<i>See Fields, types, Singular/Plural</i>
Smart Answer button	7
Smart Answers	<i>See Answers</i>
Sorting	84
used in lesson	85
Sorting Fields (abc button).....	128
Source for answer choices.....	10
Special characters in Labels	4
Speedy Fill mode.....	115
Split-screen view	<i>See Peeking</i>
Square root.....	<i>See Root (math function)</i>
Squared.....	<i>See RaiseToPower (math function)</i>
Start button	114
Storing answers	<i>See Save/Load answers</i>
Styles and Wrappers.....	124
Sublist tab in Field/Condition screen	37
Sublists.....	67
Sublist used in lesson.....	68, 71
used in lesson	55
Subtraction.....	<i>See Math functions</i>
Sums in a list formatted as a table	50
Tab key in Questionnaire.....	113
Table format for Lists	50
Table row, conditional.....	47
Telescoping parentheses	48
Template files, editing.....	7
Templates versus documents	7
Term of loan	<i>See Payment (math function)</i>
Testing forms.....	<i>See Checking forms</i>
Text answers.....	<i>See Answers, types, Text</i>
Text Fields.....	<i>See Fields, types, Text</i>
Text-with-Pronoun answers.....	<i>See Answers, types, Text with Pronoun</i>
Title case.....	<i>See Formatting Fields</i>
Today	<i>See Now (math function)</i>
Tools button.....	<i>See Buttons on TheFormTool tab, Tools</i>
Totals in a list formatted as a table	50
Tutorials	<i>See Lessons</i>
Typed here source for answer choices	10
Underlines	<i>See Blank lines</i>
Uninstalling TheFormTool	134
Unlocking the Math screen.....	88
Up button – rearranging a series answer.....	114
Updates	3
Uppercase	<i>See Formatting Fields</i>
Valid characters in Labels.....	4
Versions of TheFormTool	<i>See Updates</i>
Versions of Word	7
Viewing answer location in form	<i>See Peeking</i>
Visibility of Labels and Derived answers.....	14
Walkthroughs.....	<i>See Lessons</i>
With-pronoun answers	<i>See Answers, types, Text with Pronoun</i>
Word.....	<i>See Versions of Word</i>
Wrappers.....	124
adding to forms.....	125
creating.....	124
styles.....	124
with section breaks.....	127
Write-in choices.....	11
XOR in Conditions.....	39
Y - changing to 'ies' for plural words.....	24
Years (math function).....	104
Yes/No answers.....	<i>See Answers, types, Yes/No</i>
Zip file	<i>See Installing TheFormTool</i>

TheFormTool PRO

Here are some helpful online resources at www.theformtool.com:

TheFormTool Quick-Start Guide	If the 200-page Expert User Guide seems a bit ... well ... <i>daunting</i> , then this 20-page Guide will be more to your liking.
TheFormTool Expert User Guide	You're reading it now! Or click here for an interactive online version.
Online training course	Click here to browse a collection of short, graduated videos that will take you from the basics to rocket science. We strongly encourage all users to review the Beginning and The Basics levels of The Learning Curve. Doing so will provide a strong foundation for productivity with the software and save an enormous amount of time.
Timely updates	If you haven't already done so, click here to sign up for our newsletter to stay informed of updates and improvements.
The Learning Curve weekly webinar	Every Wednesday morning (8am PT, 1500GMT), our very best, most experienced technical experts and service professionals are available to answer your questions, address your issues, and listen to your suggestions. Click here to join us.
And the kitchen sink	Our general help page is here . Everything else you need is here at the Service Center, where you may search or browse hundreds of questions, answers, tips and suggestions, and contribute your own. You may also open a service ticket if you're having any trouble with the program.

Created by:



Distributed by:

